AFRILANG Stdlib

std/c/sigcorrel

Français. Bibliothèque AFRILANG ‘std/c/sigcorrel‘ (niveau complex, catégorie complex). Elle expose 7 fonction(s) : corrSum, corrMean, corrMin, corrMax, corrVar, corrStd, corrNorm.
‘import ”std/c/sigcorrel”‘ · ‘use sigcorrel‘
- ‘corrSum(v list number) → number‘ - ‘corrMean(v list number) → number‘ - ‘corrMin(v list number) → number‘ - ‘corrMax(v list number) → number‘ - ‘corrVar(v list number) → number‘ - ‘corrStd(v list number) → number‘ - ‘corrNorm(v list number) → list number‘ **English.** AFRILANG library ‘std/c/sigcorrel‘ (tier complex, category complex). Exports 7 function(s): corrSum, corrMean, corrMin, corrMax, corrVar, corrStd, corrNorm.
‘import ”std/c/sigcorrel”‘ · ‘use sigcorrel‘
- ‘corrSum(v list number) → number‘ - ‘corrMean(v list number) → number‘ - ‘corrMin(v list number) → number‘ - ‘corrMax(v list number) → number‘ - ‘corrVar(v list number) → number‘ - ‘corrStd(v list number) → number‘ - ‘corrNorm(v list number) → list number‘

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/sigcorrel' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : corrSum, corrMean, corrMin, corrMax, corrVar, corrStd, corrNorm.

'import "std/c/sigcorrel"' · 'use sigcorrel'

```
- `corrSum(v list number) → number`
- `corrMean(v list number) → number`
- `corrMin(v list number) → number`
- `corrMax(v list number) → number`
- `corrVar(v list number) → number`
- `corrStd(v list number) → number`
- `corrNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/sigcorrel"
use sigcorrel
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 corrSum(v list number) → number•
 corrMean(v list number) → number•
 corrMin(v list number) → number•
 corrMax(v list number) → number•
 corrVar(v list number) → number•
 corrStd(v list number) → number•
 corrNorm(v list number) → list
```

4. Exemples d'utilisation

```
import "std/c/sigcorrel"
use sigcorrel
```

```
create result = corrSum(/* args */)
say result
```

```
create result = corrMean(/* args */)
say result
```

```
create result = corrMin(/* args */)
say result
```

```
create result = corrMax(/* args */)
say result
```

```
create result = corrVar(/* args */)
say result
```

```
create result = corrStd(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/sigcorrel"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module sigcorrel

```
function corrSum(v list number) returns number
end
```

```
function corrMean(v list number) returns number
end
```

```
function corrMin(v list number) returns number
end
```

```
function corrMax(v list number) returns number
end
```

```
function corrVar(v list number) returns number
end
```

```
function corrStd(v list number) returns number
end
```

```
function corrNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/sigcorrel‘ (tier complex, category complex). Exports 7 function(s): corrSum, corrMean, corrMin, corrMax, corrVar, corrStd, corrNorm.
‘import ”std/c/sigcorrel”‘ · ‘use sigcorrel‘

```
- `corrSum(v list number) → number`
- `corrMean(v list number) → number`
- `corrMin(v list number) → number`
- `corrMax(v list number) → number`
- `corrVar(v list number) → number`
- `corrStd(v list number) → number`
- `corrNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/sigcorrel"
use sigcorrel
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 corrSum(v list number) → number•
 corrMean(v list number) → number•
 corrMin(v list number) → number•
 corrMax(v list number) → number•
 corrVar(v list number) → number•
 corrStd(v list number) → number•
 corrNorm(v list number) → list
```

4. Usage examples

```
import "std/c/sigcorrel"
use sigcorrel
```

```
create result = corrSum(/* args */)
say result
```

```
create result = corrMean(/* args */)
say result
```

```
create result = corrMin(/* args */)
say result
```

```
create result = corrMax(/* args */)
say result
```

```
create result = corrVar(/* args */)
say result
```

```
create result = corrStd(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/sigcorrel"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module sigcorrel

```
function corrSum(v list number) returns number
end
```

```
function corrMean(v list number) returns number
end
```

```
function corrMin(v list number) returns number
end
```

```
function corrMax(v list number) returns number
end
```

```
function corrVar(v list number) returns number
end
```

```
function corrStd(v list number) returns number
end
```

```
function corrNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/sigcorrel"`
- Vérification : `afrilang check`
- Documentation : `https://afrilang.dev/stdlib/std/c/sigcorrel/`

Source (extrait)

```
module sigcorrel

function corrSum(v list number) returns number
end

function corrMean(v list number) returns number
```

```
end

function corrMin(v list number) returns number
end

function corrMax(v list number) returns number
end

function corrVar(v list number) returns number
end

function corrStd(v list number) returns number
end

function corrNorm(v list number) returns list number
end
end
```