AFRILANG Stdlib

std/c/graphfloyd

Français. Bibliothèque AFRILANG ‘std/c/graphfloyd‘ (niveau complex, catégorie complex). Elle expose 6 fonction(s) : floydWarshall, pairDistance, closureReachable, graphDensity, avgShortestPath, transitiveClosure.
‘import ”std/c/graphfloyd”‘ · ‘use graphfloyd‘
- ‘floydWarshall(adj list number, n number) → list number‘ - ‘pairDistance(adj list number, n number, a number, b number) → number‘ - ‘closureReachable(adj list number, n number) → list number‘ - ‘graphDensity(adj list number, n number) → number‘ - ‘avgShortestPath(adj list number, n number) → number‘ - ‘transitiveClosure(adj list number, n numbe **English.** AFRILANG library ‘std/c/graphfloyd‘ (tier complex, category complex). Exports 6 function(s): floydWarshall, pairDistance, closureReachable, graphDensity, avgShortestPath, transitiveClosure.
‘import ”std/c/graphfloyd”‘ · ‘use graphfloyd‘
- ‘floydWarshall(adj list number, n number) → list number‘ - ‘pairDistance(adj list number, n number, a number, b number) → number‘ - ‘closureReachable(adj list number, n number) → list number‘ - ‘graphDensity(adj list number, n number) → number‘ - ‘avgShortestPath(adj list number, n number) → number‘ - ‘transitiveClosure(adj list number, n number) → list num

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	6

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/graphfloyd' (niveau complex, catégorie complex). Elle expose 6 fonction(s) : floydWarshall, pairDistance, closureReachable, graphDensity, avgShortestPath, transitiveClosure.

'import "std/c/graphfloyd"' · 'use graphfloyd'

```
- `floydWarshall(adj list number, n number) → list number`
- `pairDistance(adj list number, n number, a number, b number) → number`
- `closureReachable(adj list number, n number) → list number`
- `graphDensity(adj list number, n number) → number`
- `avgShortestPath(adj list number, n number) → number`
- `transitiveClosure(adj list number, n number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/graphfloyd"
use graphfloyd
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 floydWarshall(adj list number, n number) → list•
 pairDistance(adj list number, n number, a number, b number) → number•
 closureReachable(adj list number, n number) → list•
 graphDensity(adj list number, n number) → number•
 avgShortestPath(adj list number, n number) → number•
 transitiveClosure(adj list number, n number) → list
```

4. Exemples d'utilisation

```
import "std/c/graphfloyd"
use graphfloyd
```

```
create result = floydWarshall(/* args */)
say result
```

```
create result = pairDistance(/* args */)
say result
```

```
create result = closureReachable(/* args */)
say result
```

```
create result = graphDensity(/* args */)
say result
```

```
create result = avgShortestPath(/* args */)
say result
```

```
create result = transitiveClosure(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/graphfloyd"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module graphfloyd

```
function floydWarshall(adj list number, n number) returns list number
end
```

```
function pairDistance(adj list number, n number, a number, b number) returns number
end
```

```
function closureReachable(adj list number, n number) returns list number
end
```

```
function graphDensity(adj list number, n number) returns number
end
```

```
function avgShortestPath(adj list number, n number) returns number
end
```

```
function transitiveClosure(adj list number, n number) returns list number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/graphfloyd‘ (tier complex, category complex). Exports 6 function(s): floydWarshall, pairDistance, closureReachable, graphDensity, avgShortestPath, transitiveClosure.

‘import ”std/c/graphfloyd”‘ · ‘use graphfloyd‘

```
- `floydWarshall(adj list number, n number) → list number`
- `pairDistance(adj list number, n number, a number, b number) → number`
- `closureReachable(adj list number, n number) → list number`
- `graphDensity(adj list number, n number) → number`
- `avgShortestPath(adj list number, n number) → number`
- `transitiveClosure(adj list number, n number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/graphfloyd"
use graphfloyd
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 floydWarshall(adj list number, n number) → list•
 pairDistance(adj list number, n number, a number, b number) → number•
 closureReachable(adj list number, n number) → list•
 graphDensity(adj list number, n number) → number•
 avgShortestPath(adj list number, n number) → number•
 transitiveClosure(adj list number, n number) → list
```

4. Usage examples

```
import "std/c/graphfloyd"
use graphfloyd
```

```
create result = floydWarshall(/* args */)
say result
```

```
create result = pairDistance(/* args */)
say result
```

```
create result = closureReachable(/* args */)
say result
```

```
create result = graphDensity(/* args */)
say result
```

```
create result = avgShortestPath(/* args */)
say result
```

```
create result = transitiveClosure(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/graphfloyd"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module graphfloyd

```
function floydWarshall(adj list number, n number) returns list number
end
```

```
function pairDistance(adj list number, n number, a number, b number) returns number
end
```

```
function closureReachable(adj list number, n number) returns list number
end
```

```
function graphDensity(adj list number, n number) returns number
end
```

```
function avgShortestPath(adj list number, n number) returns number
end
```

```
function transitiveClosure(adj list number, n number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/graphfloyd"`
- Vérification : `afrilang check`
- Documentation : https://afrilang.dev/stdlib/std/c/graphfloyd/

Source (extrait)

```
module graphfloyd

function floydWarshall(adj list number, n number) returns list number
end

function pairDistance(adj list number, n number, a number, b number) returns number
end

function closureReachable(adj list number, n number) returns list number
end

function graphDensity(adj list number, n number) returns number
end

function avgShortestPath(adj list number, n number) returns number
```

```
end

function transitiveClosure(adj list number, n number) returns list number
end
end
```