AFRILANG Stdlib

std/c/finbond

Français. Bibliothèque AFRILANG ‘std/c/finbond‘ (niveau complex, catégorie complex). Elle expose 6 fonction(s) : pv, ytm, duration, convexity, couponYield, accruedInterest.
‘import ”std/c/finbond”‘ · ‘use finbond‘
- ‘pv(face number, rate number, years number, coupon number) → number‘ - ‘ytm(price number, face number, coupon number, years number) → number‘ - ‘duration(face number, rate number, years number, coupon number) → number‘ - ‘convexity(face number, rate number, years number, coupon number) → number‘ - ‘couponYield(coupon number, price number) → number‘ - ‘accruedInterest(coupon number, days nu **English.** AFRILANG library ‘std/c/finbond‘ (tier complex, category complex). Exports 6 function(s): pv, ytm, duration, convexity, couponYield, accruedInterest.
‘import ”std/c/finbond”‘ · ‘use finbond‘
- ‘pv(face number, rate number, years number, coupon number) → number‘ - ‘ytm(price number, face number, coupon number, years number) → number‘ - ‘duration(face number, rate number, years number, coupon number) → number‘ - ‘convexity(face number, rate number, years number, coupon number) → number‘ - ‘couponYield(coupon number, price number) → number‘ - ‘accruedInterest(coupon number, days number) → numbe

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	6

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/finbond' (niveau complex, catégorie complex). Elle expose 6 fonction(s) : pv, ytm, duration, convexity, couponYield, accruedInterest.
'import "std/c/finbond"' · 'use finbond'

```
- `pv(face number, rate number, years number, coupon number) → number`
- `ytm(price number, face number, coupon number, years number) → number`
- `duration(face number, rate number, years number, coupon number) → number`
- `convexity(face number, rate number, years number, coupon number) → number`
- `couponYield(coupon number, price number) → number`
- `accruedInterest(coupon number, days number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/finbond"
use finbond
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 pv(face number, rate number, years number, coupon number) → number•
 ytm(price number, face number, coupon number, years number) → number•
 duration(face number, rate number, years number, coupon number) → number•
 convexity(face number, rate number, years number, coupon number) → number•
 couponYield(coupon number, price number) → number•
 accruedInterest(coupon number, days number) → number
```

4. Exemples d'utilisation

```
import "std/c/finbond"
use finbond
```

```
create result = pv(/* args */)
say result
```

```
create result = ytm(/* args */)
say result
```

```
create result = duration(/* args */)
say result
```

```
create result = convexity(/* args */)
say result
```

```
create result = couponYield(/* args */)
say result
```

```
create result = accruedInterest(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/finbond"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module finbond

```
function pv(face number, rate number, years number, coupon number) returns number
end
```

```
function ytm(price number, face number, coupon number, years number) returns number
end
```

```
function duration(face number, rate number, years number, coupon number) returns
   number
end
```

```
function convexity(face number, rate number, years number, coupon number) returns
   number
end
```

```
function couponYield(coupon number, price number) returns number
end
```

```
function accruedInterest(coupon number, days number) returns number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/finbond‘ (tier complex, category complex). Exports 6 function(s): pv, ytm, duration, convexity, couponYield, accruedInterest.

‘import ”std/c/finbond”‘ · ‘use finbond‘

```
- `pv(face number, rate number, years number, coupon number) → number`
- `ytm(price number, face number, coupon number, years number) → number`
- `duration(face number, rate number, years number, coupon number) → number`
- `convexity(face number, rate number, years number, coupon number) → number`
- `couponYield(coupon number, price number) → number`
- `accruedInterest(coupon number, days number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/finbond"
use finbond
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 pv(face number, rate number, years number, coupon number) → number•
 ytm(price number, face number, coupon number, years number) → number•
 duration(face number, rate number, years number, coupon number) → number•
 convexity(face number, rate number, years number, coupon number) → number•
 couponYield(coupon number, price number) → number•
 accruedInterest(coupon number, days number) → number
```

4. Usage examples

```
import "std/c/finbond"
use finbond
```

```
create result = pv(/* args */)
say result
```

```
create result = ytm(/* args */)
say result
```

```
create result = duration(/* args */)
say result
```

```
create result = convexity(/* args */)
say result
```

```
create result = couponYield(/* args */)
say result
```

```
create result = accruedInterest(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/finbond"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module finbond

```
function pv(face number, rate number, years number, coupon number) returns number
end
```

```
function ytm(price number, face number, coupon number, years number) returns number
end
```

```
function duration(face number, rate number, years number, coupon number) returns
    number
end
```

```
function convexity(face number, rate number, years number, coupon number) returns
    number
end
```

```
function couponYield(coupon number, price number) returns number
end
```

```
function accruedInterest(coupon number, days number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/finbond"`
- Vérification : `afrilang check`
- Documentation : https://afrilang.dev/stdlib/std/c/finbond/

Source (extrait)

```
module finbond

function pv(face number, rate number, years number, coupon number) returns number
end

function ytm(price number, face number, coupon number, years number) returns number
end

function duration(face number, rate number, years number, coupon number) returns
    number
end
```

```
function convexity(face number, rate number, years number, coupon number) returns
    number
end

function couponYield(coupon number, price number) returns number
end

function accruedInterest(coupon number, days number) returns number
end
end
```