AFRILANG Stdlib

std/c/simbrownian

Français. Bibliothèque AFRILANG ‘std/c/simbrownian‘ (niveau complex, catégorie complex). Elle expose 8 fonction(s) : browSum, browMean, browMin, browMax, browVar, browStd, browNorm, simulate.
‘import ”std/c/simbrownian”‘ · ‘use simbrownian‘
- ‘browSum(v list number) → number‘ - ‘browMean(v list number) → number‘ - ‘browMin(v list number) → number‘ - ‘browMax(v list number) → number‘ - ‘browVar(v list number) → number‘ - ‘browStd(v list number) → number‘ - ‘browNorm(v list number) → list number‘ - ‘simulate(steps number, seed number) → list number‘ **English.** AFRILANG library ‘std/c/simbrownian‘ (tier complex, category complex). Exports 8 function(s): browSum, browMean, browMin, browMax, browVar, browStd, browNorm, simulate.
‘import ”std/c/simbrownian”‘ · ‘use simbrownian‘
- ‘browSum(v list number) → number‘ - ‘browMean(v list number) → number‘ - ‘browMin(v list number) → number‘ - ‘browMax(v list number) → number‘ - ‘browVar(v list number) → number‘ - ‘browStd(v list number) → number‘ - ‘browNorm(v list number) → list number‘ - ‘simulate(steps number, seed number) → list number‘

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	8

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/simbrownian' (niveau complex, catégorie complex). Elle expose 8 fonction(s) : browSum, browMean, browMin, browMax, browVar, browStd, browNorm, simulate.

'import "std/c/simbrownian"' · 'use simbrownian'

```
- `browSum(v list number) → number`
- `browMean(v list number) → number`
- `browMin(v list number) → number`
- `browMax(v list number) → number`
- `browVar(v list number) → number`
- `browStd(v list number) → number`
- `browNorm(v list number) → list number`
- `simulate(steps number, seed number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/simbrownian"
use simbrownian
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 browSum(v list number) → number•
 browMean(v list number) → number•
 browMin(v list number) → number•
 browMax(v list number) → number•
 browVar(v list number) → number•
 browStd(v list number) → number•
 browNorm(v list number) → list•
 simulate(steps number, seed number) → list
```

4. Exemples d'utilisation

```
import "std/c/simbrownian"
use simbrownian
```

```
create result = browSum(/* args */)
say result
```

```
create result = browMean(/* args */)
say result
```

```
create result = browMin(/* args */)
say result
```

```
create result = browMax(/* args */)
say result
```

```
create result = browVar(/* args */)
say result
```

```
create result = browStd(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/simbrownian"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module simbrownian

```
function browSum(v list number) returns number
end
```

```
function browMean(v list number) returns number
end
```

```
function browMin(v list number) returns number
end
```

```
function browMax(v list number) returns number
end
```

```
function browVar(v list number) returns number
end
```

```
function browStd(v list number) returns number
end
```

```
function browNorm(v list number) returns list number
end
```

```
function simulate(steps number, seed number) returns list number
end
end
```

English

1. Overview

AFRILANG library 'std/c/simbrownian' (tier complex, category complex). Exports 8 function(s): browSum, browMean, browMin, browMax, browVar, browStd, browNorm, simulate.

'import "std/c/simbrownian"' · 'use simbrownian'

```
- `browSum(v list number) → number`
- `browMean(v list number) → number`
- `browMin(v list number) → number`
- `browMax(v list number) → number`
- `browVar(v list number) → number`
- `browStd(v list number) → number`
- `browNorm(v list number) → list number`
- `simulate(steps number, seed number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/simbrownian"
use simbrownian
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 browSum(v list number) → number•
 browMean(v list number) → number•
 browMin(v list number) → number•
 browMax(v list number) → number•
 browVar(v list number) → number•
 browStd(v list number) → number•
 browNorm(v list number) → list•
 simulate(steps number, seed number) → list
```

4. Usage examples

```
import "std/c/simbrownian"
use simbrownian
```

```
create result = browSum(/* args */)
say result
```

```
create result = browMean(/* args */)
say result
```

```
create result = browMin(/* args */)
say result
```

```
create result = browMax(/* args */)
say result
```

```
create result = browVar(/* args */)
say result
```

```
create result = browStd(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/simbrownian"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module simbrownian

```
function browSum(v list number) returns number
end
```

```
function browMean(v list number) returns number
end
```

```
function browMin(v list number) returns number
end
```

```
function browMax(v list number) returns number
end
```

```
function browVar(v list number) returns number
end
```

```
function browStd(v list number) returns number
end
```

```
function browNorm(v list number) returns list number
end
```

```
function simulate(steps number, seed number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/simbrownian"`
- Vérification : `afrilang check`
- Documentation : `https://afrilang.dev/stdlib/std/c/simbrownian/`

Source (extrait)

```
module simbrownian

function browSum(v list number) returns number
end

function browMean(v list number) returns number
end

function browMin(v list number) returns number
end

function browMax(v list number) returns number
end

function browVar(v list number) returns number
end

function browStd(v list number) returns number
end

function browNorm(v list number) returns list number
end

function simulate(steps number, seed number) returns list number
end
end
```