AFRILANG Stdlib

std/c/statmedian

Français. Bibliothèque AFRILANG ‘std/c/statmedian‘ (niveau complex, catégorie complex). Elle expose 6 fonction(s) : median, medAbsDev, trimmedMean, movingMedian, weightedMedian, medianDiff.
‘import ”std/c/statmedian”‘ · ‘use statmedian‘
- ‘median(v list number) → number‘ - ‘medAbsDev(v list number) → number‘ - ‘trimmedMean(v list number, pct number) → number‘ - ‘movingMedian(v list number, win number) → list number‘ - ‘weightedMedian(v list number, w list number) → number‘ - ‘medianDiff(a list number, b list number) → number‘ **English.** AFRILANG library ‘std/c/statmedian‘

(tier complex, category complex). Exports 6 function(s): median, medAbsDev, trimmedMean, movingMedian, weightedMedian, medianDiff.
‘import ”std/c/statmedian”‘ · ‘use statmedian‘
- ‘median(v list number) → number‘ - ‘medAbsDev(v list number) → number‘ - ‘trimmedMean(v list number, pct number) → number‘ - ‘movingMedian(v list number, win number) → list number‘ - ‘weightedMedian(v list number, w list number) → number‘ - ‘medianDiff(a list number, b list number) → number‘

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	6

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/statmedian' (niveau complex, catégorie complex). Elle expose 6 fonction(s) : median, medAbsDev, trimmedMean, movingMedian, weightedMedian, medianDiff.

'import "std/c/statmedian"' · 'use statmedian'

```
- `median(v list number) → number`
- `medAbsDev(v list number) → number`
- `trimmedMean(v list number, pct number) → number`
- `movingMedian(v list number, win number) → list number`
- `weightedMedian(v list number, w list number) → number`
- `medianDiff(a list number, b list number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/statmedian"
use statmedian
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 median(v list number) → number•
 medAbsDev(v list number) → number•
 trimmedMean(v list number, pct number) → number•
 movingMedian(v list number, win number) → list•
 weightedMedian(v list number, w list number) → number•
 medianDiff(a list number, b list number) → number
```

4. Exemples d'utilisation

```
import "std/c/statmedian"
use statmedian
```

```
create result = median(/* args */)
say result
```

```
create result = medAbsDev(/* args */)
say result
```

```
create result = trimmedMean(/* args */)
say result
```

```
create result = movingMedian(/* args */)
say result
```

```
create result = weightedMedian(/* args */)
say result
```

```
create result = medianDiff(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/statmedian"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module statmedian

```
function median(v list number) returns number
end
```

```
function medAbsDev(v list number) returns number
end
```

```
function trimmedMean(v list number, pct number) returns number
end
```

```
function movingMedian(v list number, win number) returns list number
end
```

```
function weightedMedian(v list number, w list number) returns number
end
```

```
function medianDiff(a list number, b list number) returns number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/statmedian‘ (tier complex, category complex). Exports 6 function(s): median, medAbsDev, trimmedMean, movingMedian, weightedMedian, medianDiff.

‘import ”std/c/statmedian”‘ · ‘use statmedian‘

```
- `median(v list number) → number`
- `medAbsDev(v list number) → number`
- `trimmedMean(v list number, pct number) → number`
- `movingMedian(v list number, win number) → list number`
- `weightedMedian(v list number, w list number) → number`
- `medianDiff(a list number, b list number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/statmedian"
use statmedian
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 median(v list number) → number•
 medAbsDev(v list number) → number•
 trimmedMean(v list number, pct number) → number•
 movingMedian(v list number, win number) → list•
 weightedMedian(v list number, w list number) → number•
 medianDiff(a list number, b list number) → number
```

4. Usage examples

```
import "std/c/statmedian"
use statmedian
```

```
create result = median(/* args */)
say result
```

```
create result = medAbsDev(/* args */)
say result
```

```
create result = trimmedMean(/* args */)
say result
```

```
create result = movingMedian(/* args */)
say result
```

```
create result = weightedMedian(/* args */)
say result
```

```
create result = medianDiff(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/statmedian"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module statmedian

```
function median(v list number) returns number
end
```

```
function medAbsDev(v list number) returns number
end
```

```
function trimmedMean(v list number, pct number) returns number
end
```

```
function movingMedian(v list number, win number) returns list number
end
```

```
function weightedMedian(v list number, w list number) returns number
end
```

```
function medianDiff(a list number, b list number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/statmedian"`
- Vérification : `afrilang check`
- Documentation : https://afrilang.dev/stdlib/std/c/statmedian/

Source (extrait)

```
module statmedian

function median(v list number) returns number
end

function medAbsDev(v list number) returns number
end

function trimmedMean(v list number, pct number) returns number
end

function movingMedian(v list number, win number) returns list number
end

function weightedMedian(v list number, w list number) returns number
```

```
end

function medianDiff(a list number, b list number) returns number
end
end
```