AFRILANG Stdlib

std/c/statttest

Français. Bibliothèque AFRILANG ‘std/c/statttest‘ (niveau complex, catégorie complex). Elle expose 6 fonction(s) : tStatistic, pooledVariance, cohenD, meanDiff, welchT, effectSize.
‘import ”std/c/statttest”‘ · ‘use statttest‘
- ‘tStatistic(a list number, b list number) → number‘ - ‘pooledVariance(a list number, b list number) → number‘ - ‘cohenD(a list number, b list number) → number‘ - ‘meanDiff(a list number, b list number) → number‘ - ‘welchT(a list number, b list number) → number‘ - ‘effectSize(a list number, b list number) → number‘ **English.** AFRILANG library ‘std/c/statttest‘ (tier complex, category complex). Exports 6 function(s): tStatistic, pooledVariance, cohenD, meanDiff, welchT, effectSize.
‘import ”std/c/statttest”‘ · ‘use statttest‘
- ‘tStatistic(a list number, b list number) → number‘ - ‘pooledVariance(a list number, b list number) → number‘ - ‘cohenD(a list number, b list number) → number‘ - ‘meanDiff(a list number, b list number) → number‘ - ‘welchT(a list number, b list number) → number‘ - ‘effectSize(a list number, b list number) → number‘

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	6

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/statttest' (niveau complex, catégorie complex). Elle expose 6 fonction(s) : tStatistic, pooledVariance, cohenD, meanDiff, welchT, effectSize.

'import "std/c/statttest"' · 'use statttest'

```
- `tStatistic(a list number, b list number) → number`
- `pooledVariance(a list number, b list number) → number`
- `cohenD(a list number, b list number) → number`
- `meanDiff(a list number, b list number) → number`
- `welchT(a list number, b list number) → number`
- `effectSize(a list number, b list number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/statttest"
use statttest
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 tStatistic(a list number, b list number) → number•
 pooledVariance(a list number, b list number) → number•
 cohenD(a list number, b list number) → number•
 meanDiff(a list number, b list number) → number•
 welchT(a list number, b list number) → number•
 effectSize(a list number, b list number) → number
```

4. Exemples d'utilisation

```
import "std/c/statttest"
use statttest
```

```
create result = tStatistic(/* args */)
say result
```

```
create result = pooledVariance(/* args */)
say result
```

```
create result = cohenD(/* args */)
say result
```

```
create result = meanDiff(/* args */)
say result
```

```
create result = welchT(/* args */)
say result
```

```
create result = effectSize(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/statttest"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module statttest

```
function tStatistic(a list number, b list number) returns number
end
```

```
function pooledVariance(a list number, b list number) returns number
end
```

```
function cohenD(a list number, b list number) returns number
end
```

```
function meanDiff(a list number, b list number) returns number
end
```

```
function welchT(a list number, b list number) returns number
end
```

```
function effectSize(a list number, b list number) returns number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/statttest‘ (tier complex, category complex). Exports 6 function(s): tStatistic, pooledVariance, cohenD, meanDiff, welchT, effectSize.

‘import ”std/c/statttest”‘ · ‘use statttest‘

```
- `tStatistic(a list number, b list number) → number`
- `pooledVariance(a list number, b list number) → number`
- `cohenD(a list number, b list number) → number`
- `meanDiff(a list number, b list number) → number`
- `welchT(a list number, b list number) → number`
- `effectSize(a list number, b list number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/statttest"
use statttest
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 tStatistic(a list number, b list number) → number•
 pooledVariance(a list number, b list number) → number•
 cohenD(a list number, b list number) → number•
 meanDiff(a list number, b list number) → number•
 welchT(a list number, b list number) → number•
 effectSize(a list number, b list number) → number
```

4. Usage examples

```
import "std/c/statttest"
use statttest
```

```
create result = tStatistic(/* args */)
say result
```

```
create result = pooledVariance(/* args */)
say result
```

```
create result = cohenD(/* args */)
say result
```

```
create result = meanDiff(/* args */)
say result
```

```
create result = welchT(/* args */)
say result
```

```
create result = effectSize(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/statttest"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module statttest

```
function tStatistic(a list number, b list number) returns number
end
```

```
function pooledVariance(a list number, b list number) returns number
end
```

```
function cohenD(a list number, b list number) returns number
end
```

```
function meanDiff(a list number, b list number) returns number
end
```

```
function welchT(a list number, b list number) returns number
end
```

```
function effectSize(a list number, b list number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/statttest"`
- Vérification : `afrilang check`
- Documentation : https://afrilang.dev/stdlib/std/c/statttest/

Source (extrait)

```
module statttest

function tStatistic(a list number, b list number) returns number
end

function pooledVariance(a list number, b list number) returns number
end

function cohenD(a list number, b list number) returns number
end

function meanDiff(a list number, b list number) returns number
end

function welchT(a list number, b list number) returns number
```

```
end

function effectSize(a list number, b list number) returns number
end
end
```