AFRILANG Stdlib

std/c/tsdecompose

Français. Bibliothèque AFRILANG ‘std/c/tsdecompose‘ (niveau complex, catégorie complex). Elle expose 7 fonction(s) : decoSum, decoMean, decoMin, decoMax, decoVar, decoStd, decoNorm.
‘import ”std/c/tsdecompose”‘ · ‘use tsdecompose‘
- ‘decoSum(v list number) → number‘ - ‘decoMean(v list number) → number‘ - ‘decoMin(v list number) → number‘ - ‘decoMax(v list number) → number‘ - ‘decoVar(v list number) → number‘ - ‘decoStd(v list number) → number‘ - ‘decoNorm(v list number) → list number‘ **English.** AFRILANG library ‘std/c/tsdecompose‘ (tier complex, category complex). Exports 7 function(s): decoSum, decoMean, decoMin, decoMax, decoVar, decoStd, decoNorm.
‘import ”std/c/tsdecompose”‘ · ‘use tsdecompose‘
- ‘decoSum(v list number) → number‘ - ‘decoMean(v list number) → number‘ - ‘decoMin(v list number) → number‘ - ‘decoMax(v list number) → number‘ - ‘decoVar(v list number) → number‘ - ‘decoStd(v list number) → number‘ - ‘decoNorm(v list number) → list number‘

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/tsdecompose' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : decoSum, decoMean, decoMin, decoMax, decoVar, decoStd, decoNorm.

'import "std/c/tsdecompose"' · 'use tsdecompose'

```
- `decoSum(v list number) → number`
- `decoMean(v list number) → number`
- `decoMin(v list number) → number`
- `decoMax(v list number) → number`
- `decoVar(v list number) → number`
- `decoStd(v list number) → number`
- `decoNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/tsdecompose"
use tsdecompose
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 decoSum(v list number) → number•
 decoMean(v list number) → number•
 decoMin(v list number) → number•
 decoMax(v list number) → number•
 decoVar(v list number) → number•
 decoStd(v list number) → number•
 decoNorm(v list number) → list
```

4. Exemples d'utilisation

```
import "std/c/tsdecompose"
use tsdecompose
```

```
create result = decoSum(/* args */)
say result
```

```
create result = decoMean(/* args */)
say result
```

```
create result = decoMin(/* args */)
say result
```

```
create result = decoMax(/* args */)
say result
```

```
create result = decoVar(/* args */)
say result
```

```
create result = decoStd(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/tsdecompose"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module tsdecompose

```
function decoSum(v list number) returns number
end
```

```
function decoMean(v list number) returns number
end
```

```
function decoMin(v list number) returns number
end
```

```
function decoMax(v list number) returns number
end
```

```
function decoVar(v list number) returns number
end
```

```
function decoStd(v list number) returns number
end
```

```
function decoNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/tsdecompose‘ (tier complex, category complex). Exports 7 function(s): decoSum, decoMean, decoMin, decoMax, decoVar, decoStd, decoNorm.
‘import ”std/c/tsdecompose”‘ · ‘use tsdecompose‘

```
- `decoSum(v list number) → number`
- `decoMean(v list number) → number`
- `decoMin(v list number) → number`
- `decoMax(v list number) → number`
- `decoVar(v list number) → number`
- `decoStd(v list number) → number`
- `decoNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/tsdecompose"
use tsdecompose
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 decoSum(v list number) → number•
 decoMean(v list number) → number•
 decoMin(v list number) → number•
 decoMax(v list number) → number•
 decoVar(v list number) → number•
 decoStd(v list number) → number•
 decoNorm(v list number) → list
```

4. Usage examples

```
import "std/c/tsdecompose"
use tsdecompose
```

```
create result = decoSum(/* args */)
say result
```

```
create result = decoMean(/* args */)
say result
```

```
create result = decoMin(/* args */)
say result
```

```
create result = decoMax(/* args */)
say result
```

```
create result = decoVar(/* args */)
say result
```

```
create result = decoStd(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/tsdecompose"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module tsdecompose

```
function decoSum(v list number) returns number
end
```

```
function decoMean(v list number) returns number
end
```

```
function decoMin(v list number) returns number
end
```

```
function decoMax(v list number) returns number
end
```

```
function decoVar(v list number) returns number
end
```

```
function decoStd(v list number) returns number
end
```

```
function decoNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/tsdecompose"`
- Vérification : `afrilang check`
- Documentation : https://afrilang.dev/stdlib/std/c/tsdecompose/

Source (extrait)

```
module tsdecompose

function decoSum(v list number) returns number
end

function decoMean(v list number) returns number
```

```
end

function decoMin(v list number) returns number
end

function decoMax(v list number) returns number
end

function decoVar(v list number) returns number
end

function decoStd(v list number) returns number
end

function decoNorm(v list number) returns list number
end
end
```