AFRILANG Stdlib

std/m/compound2

Français. Bibliothèque AFRILANG ‘std/m/compound2‘ (niveau medium, catégorie medium). Elle expose 4 fonction(s) : compoundAnnual, compoundMonthly, effectiveRate, doublingTime.
‘import ”std/m/compound2”‘ · ‘use compound2‘
- ‘compoundAnnual(principal number, rate number, years number) → number‘ - ‘compoundMonthly(principal number, rate number, months number) → number‘ - ‘effectiveRate(nominal number, periods number) → number‘ - ‘doublingTime(rate number) → number‘ **English.** AFRILANG library ‘std/m/compound2‘ (tier medium, category medium). Exports 4 function(s): compoundAnnual, compoundMonthly, effectiveRate, doublingTime.
‘import ”std/m/compound2”‘ · ‘use compound2‘
- ‘compoundAnnual(principal number, rate number, years number) → number‘ - ‘compoundMonthly(principal number, rate number, months number) → number‘ - ‘effectiveRate(nominal number, periods number) → number‘ - ‘doublingTime(rate number) → number‘

Catégorie / Category	Modules medium (m/)
Niveau / Tier	medium
Fonctions / Functions	4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/compound2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : compoundAnnual, compoundMonthly, effectiveRate, doublingTime.

'import "std/m/compound2"' · 'use compound2'

```
- `compoundAnnual(principal number, rate number, years number) → number`
- `compoundMonthly(principal number, rate number, months number) → number`
- `effectiveRate(nominal number, periods number) → number`
- `doublingTime(rate number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/compound2"
use compound2
```

```
Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires — import std/m…/
```

3. Référence API

```
•
 compoundAnnual(principal number, rate number, years number) → number•
 compoundMonthly(principal number, rate number, months number) → number•
 effectiveRate(nominal number, periods number) → number•
 doublingTime(rate number) → number
```

4. Exemples d'utilisation

```
import "std/m/compound2"
use compound2
```

```
create result = compoundAnnual(/* args */)
say result
```

```
create result = compoundMonthly(/* args */)
say result
```

```
create result = effectiveRate(/* args */)
say result
```

```
create result = doublingTime(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/m/compound2"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module compound2

```
function compoundAnnual(principal number, rate number, years number) returns number
end
```

```
function compoundMonthly(principal number, rate number, months number) returns number
end
```

```
function effectiveRate(nominal number, periods number) returns number
end
```

```
function doublingTime(rate number) returns number
end
end
```

English

1. Overview

AFRILANG library ‘std/m/compound2‘ (tier medium, category medium). Exports 4 function(s): compoundAnnual, compoundMonthly, effectiveRate, doublingTime.
‘import ”std/m/compound2”‘ · ‘use compound2‘

```
- `compoundAnnual(principal number, rate number, years number) → number`
- `compoundMonthly(principal number, rate number, months number) → number`
- `effectiveRate(nominal number, periods number) → number`
- `doublingTime(rate number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/compound2"
use compound2
```

```
Tier: medium · Category: Medium modules (m/)
Intermediate libraries — import std/m…/
```

3. API reference

```
•
 compoundAnnual(principal number, rate number, years number) → number•
 compoundMonthly(principal number, rate number, months number) → number•
 effectiveRate(nominal number, periods number) → number•
 doublingTime(rate number) → number
```

4. Usage examples

```
import "std/m/compound2"
use compound2
```

```
create result = compoundAnnual(/* args */)
say result
```

```
create result = compoundMonthly(/* args */)
say result
```

```
create result = effectiveRate(/* args */)
say result
```

```
create result = doublingTime(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/m/compound2"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module compound2

```
function compoundAnnual(principal number, rate number, years number) returns number
end
```

```
function compoundMonthly(principal number, rate number, months number) returns number
end
```

```
function effectiveRate(nominal number, periods number) returns number
end
```

```
function doublingTime(rate number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/compound2"`
- Vérification : `afrilang check`
- Documentation : `https://afrilang.dev/stdlib/std/m/compound2/`

Source (extrait)

```
module compound2

function compoundAnnual(principal number, rate number, years number) returns number
end

function compoundMonthly(principal number, rate number, months number) returns number
end

function effectiveRate(nominal number, periods number) returns number
end

function doublingTime(rate number) returns number
end
end
```