

AFRILANG Stdlib

std/avg

Bibliothèque AFRILANG `std/avg` (niveau simple, catégorie math). Elle expose 2 fonction(s) : avg4, avg5.

```
`import "std/avg" . `use avg`
```

- `avg4(a number, b number, c number, d number) ? number`
- `avg5(a number, b number, c number, d number, e number) ? number`

Category: math | Tier: simple | Functions: 2

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/avg` (niveau simple, catégorie math). Elle expose 2 fonction(s) : avg4, avg5.

```
`import "std/avg"` . `use avg`  
- `avg4(a number, b number, c number, d number) ? number`  
- `avg5(a number, b number, c number, d number, e number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/avg"  
use avg
```

Niveau : simple · Catégorie : Mathématiques
Arithmétique, trigonométrie, statistiques, conversions.

3. Référence API

```
? avg4(a number, b number, c number, d number) ? number  
? avg5(a number, b number, c number, d number, e number) ? number
```

4. Exemples d'utilisation

```
import "std/avg"  
use avg  
  
create result = avg4(/* args */)   
say result  
  
create result = avg5(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/avg"` en tête de fichier.  
? Lancez `afrilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module avg  
  
function avg4(a number, b number, c number, d number) returns number  
end  
  
function avg5(a number, b number, c number, d number, e number) returns number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/avg` (tier simple, category math). Exports 2 function(s): avg4, avg5.

```
`import "std/avg"` . `use avg`  
- `avg4(a number, b number, c number, d number) ? number`  
- `avg5(a number, b number, c number, d number, e number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/avg"  
use avg  
  
Tier: simple . Category: Mathematics  
Arithmetic, trigonometry, statistics, conversions.
```

3. API reference

```
? avg4(a number, b number, c number, d number) ? number  
? avg5(a number, b number, c number, d number, e number) ? number
```

4. Usage examples

```
import "std/avg"  
use avg  
  
create result = avg4(/* args */)   
say result  
  
create result = avg5(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/avg"` at the top of your file.  
? Run `afriLang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module avg  
  
function avg4(a number, b number, c number, d number) returns number  
end  
  
function avg5(a number, b number, c number, d number, e number) returns number  
end  
end
```


