

AFRILANG Stdlib

std/c/statcovar

Bibliothèque AFRILANG `std/c/statcovar` (niveau complex, catégorie complex). Elle expose 8 fonction(s) : covSum, covMean

```
`import "std/c/statcovar" . `use statcovar`
```

- `covSum(v list number) ? number`
- `covMean(v list number) ? number`
- `covMin(v list number) ? number`
- `covMax(v list number) ? number`
- `covVar(v list number) ? number`
- `covStd(v list number) ? number`
- `covNorm(v list number) ? list number`
- `covariance(a list number, b list number) ? number`

Category: complex | Tier: complex | Functions: 8

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG ``std/c/statcovar`` (niveau complex, catégorie complex). Elle expose 8 fonction(s) : `covSum`, `covMean`

```
`import "std/c/statcovar"` . `use statcovar`  
- `covSum(v list number) ? number`  
- `covMean(v list number) ? number`  
- `covMin(v list number) ? number`  
- `covMax(v list number) ? number`  
- `covVar(v list number) ? number`  
- `covStd(v list number) ? number`  
- `covNorm(v list number) ? list number`  
- `covariance(a list number, b list number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/statcovar"  
use statcovar
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés ? graphes, NLP, réseaux complexes.

3. Référence API

```
? covSum(v list number) ? number  
? covMean(v list number) ? number  
? covMin(v list number) ? number  
? covMax(v list number) ? number  
? covVar(v list number) ? number  
? covStd(v list number) ? number  
? covNorm(v list number) ? list  
? covariance(a list number, b list number) ? number
```

4. Exemples d'utilisation

```
import "std/c/statcovar"  
use statcovar  
  
create result = covSum(/* args */)   
say result  
  
create result = covMean(/* args */)   
say result  
  
create result = covMin(/* args */)   
say result  
  
create result = covMax(/* args */)   
say result  
  
create result = covVar(/* args */)   
say result  
  
create result = covStd(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/c/statcovar"` en tête de fichier.  
? Lancez `afirilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module statcovar
function covSum(v list number) returns number
end
function covMean(v list number) returns number
end
function covMin(v list number) returns number
end
function covMax(v list number) returns number
end
function covVar(v list number) returns number
end
function covStd(v list number) returns number
end
function covNorm(v list number) returns list number
end
function covariance(a list number, b list number) returns number
end
end
```

ENGLISH

1. Overview

AFRILANG library `std/c/statcovar` (tier complex, category complex). Exports 8 function(s): covSum, covMean, covMin, cov

```
`import "std/c/statcovar" . `use statcovar`  
- `covSum(v list number) ? number`  
- `covMean(v list number) ? number`  
- `covMin(v list number) ? number`  
- `covMax(v list number) ? number`  
- `covVar(v list number) ? number`  
- `covStd(v list number) ? number`  
- `covNorm(v list number) ? list number`  
- `covariance(a list number, b list number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/statcovar"  
use statcovar
```

Tier: complex · Category: Complex modules (c/)
Advanced domains ? graphs, NLP, complex networks.

3. API reference

```
? covSum(v list number) ? number  
? covMean(v list number) ? number  
? covMin(v list number) ? number  
? covMax(v list number) ? number  
? covVar(v list number) ? number  
? covStd(v list number) ? number  
? covNorm(v list number) ? list  
? covariance(a list number, b list number) ? number
```

4. Usage examples

```
import "std/c/statcovar"  
use statcovar  
  
create result = covSum(/* args */)   
say result  
  
create result = covMean(/* args */)   
say result  
  
create result = covMin(/* args */)   
say result  
  
create result = covMax(/* args */)   
say result  
  
create result = covVar(/* args */)   
say result  
  
create result = covStd(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/c/statcovar"` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module statcovar
function covSum(v list number) returns number
end
function covMean(v list number) returns number
end
function covMin(v list number) returns number
end
function covMax(v list number) returns number
end
function covVar(v list number) returns number
end
function covStd(v list number) returns number
end
function covNorm(v list number) returns list number
end
function covariance(a list number, b list number) returns number
end
end
```