

AFRILANG Stdlib

std/c/stathistogram

Bibliothèque AFRILANG `std/c/stathistogram` (niveau complex, catégorie complex). Elle expose 6 fonction(s) : histogram,

```
`import "std/c/stathistogram" . `use stathistogram`
```

- `histogram(v list number, bins number) ? list number`
- `binEdges(v list number, bins number) ? list number`
- `freqDensity(v list number, bins number) ? list number`
- `cumFreq(v list number, bins number) ? list number`
- `modeBin(v list number, bins number) ? number`
- `binWidth(v list number, bins number) ? number`

Category: complex | Tier: complex | Functions: 6

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/c/stathistogram` (niveau complex, catégorie complex). Elle expose 6 fonction(s) : histogram,

```
`import "std/c/stathistogram" . `use stathistogram`  
- `histogram(v list number, bins number) ? list number`  
- `binEdges(v list number, bins number) ? list number`  
- `freqDensity(v list number, bins number) ? list number`  
- `cumFreq(v list number, bins number) ? list number`  
- `modeBin(v list number, bins number) ? number`  
- `binWidth(v list number, bins number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/stathistogram"  
use stathistogram
```

Niveau : complex · Catégorie : Modules complex (c/)

Domaines avancés ? graphes, NLP, réseaux complexes.

3. Référence API

```
? histogram(v list number, bins number) ? list  
? binEdges(v list number, bins number) ? list  
? freqDensity(v list number, bins number) ? list  
? cumFreq(v list number, bins number) ? list  
? modeBin(v list number, bins number) ? number  
? binWidth(v list number, bins number) ? number
```

4. Exemples d'utilisation

```
import "std/c/stathistogram"  
use stathistogram  
  
create result = histogram(/* args */)   
say result  
  
create result = binEdges(/* args */)   
say result  
  
create result = freqDensity(/* args */)   
say result  
  
create result = cumFreq(/* args */)   
say result  
  
create result = modeBin(/* args */)   
say result  
  
create result = binWidth(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/c/stathistogram"` en tête de fichier.  
? Lancez `afrilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module stathistogram  
  
function histogram(v list number, bins number) returns list number  
end
```

```
function binEdges(v list number, bins number) returns list number
end

function freqDensity(v list number, bins number) returns list number
end

function cumFreq(v list number, bins number) returns list number
end

function modeBin(v list number, bins number) returns number
end

function binWidth(v list number, bins number) returns number
end
end
```

ENGLISH

1. Overview

AFRILANG library `std/c/stathistogram` (tier complex, category complex). Exports 6 function(s): histogram, binEdges, fre

```
`import "std/c/stathistogram" . `use stathistogram`  
- `histogram(v list number, bins number) ? list number`  
- `binEdges(v list number, bins number) ? list number`  
- `freqDensity(v list number, bins number) ? list number`  
- `cumFreq(v list number, bins number) ? list number`  
- `modeBin(v list number, bins number) ? number`  
- `binWidth(v list number, bins number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/stathistogram"  
use stathistogram
```

Tier: complex · Category: Complex modules (c/)
Advanced domains ? graphs, NLP, complex networks.

3. API reference

```
? histogram(v list number, bins number) ? list  
? binEdges(v list number, bins number) ? list  
? freqDensity(v list number, bins number) ? list  
? cumFreq(v list number, bins number) ? list  
? modeBin(v list number, bins number) ? number  
? binWidth(v list number, bins number) ? number
```

4. Usage examples

```
import "std/c/stathistogram"  
use stathistogram  
  
create result = histogram(/* args */)   
say result  
  
create result = binEdges(/* args */)   
say result  
  
create result = freqDensity(/* args */)   
say result  
  
create result = cumFreq(/* args */)   
say result  
  
create result = modeBin(/* args */)   
say result  
  
create result = binWidth(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/c/stathistogram"` at the top of your file.  
? Run `afirang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module stathistogram  
  
function histogram(v list number, bins number) returns list number  
end
```

```
function binEdges(v list number, bins number) returns list number
end

function freqDensity(v list number, bins number) returns list number
end

function cumFreq(v list number, bins number) returns list number
end

function modeBin(v list number, bins number) returns number
end

function binWidth(v list number, bins number) returns number
end
end
```