

AFRILANG Stdlib

std/c/statregress

Bibliothèque AFRILANG `std/c/statregress` (niveau complex, catégorie complex). Elle expose 8 fonction(s) :
regSum, regMe

```
`import "std/c/statregress" . `use statregress`
```

- `regSum(v list number) ? number`
- `regMean(v list number) ? number`
- `regMin(v list number) ? number`
- `regMax(v list number) ? number`
- `regVar(v list number) ? number`
- `regStd(v list number) ? number`
- `regNorm(v list number) ? list number`
- `linearRegress(x list number, y list number) ? list number`

Category: complex | Tier: complex | Functions: 8

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/c/statregress` (niveau complex, catégorie complex). Elle expose 8 fonction(s) : regSum, regMe

```
`import "std/c/statregress" . `use statregress`  
- `regSum(v list number) ? number`  
- `regMean(v list number) ? number`  
- `regMin(v list number) ? number`  
- `regMax(v list number) ? number`  
- `regVar(v list number) ? number`  
- `regStd(v list number) ? number`  
- `regNorm(v list number) ? list number`  
- `linearRegress(x list number, y list number) ? list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/statregress"  
use statregress
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés ? graphes, NLP, réseaux complexes.

3. Référence API

```
? regSum(v list number) ? number  
? regMean(v list number) ? number  
? regMin(v list number) ? number  
? regMax(v list number) ? number  
? regVar(v list number) ? number  
? regStd(v list number) ? number  
? regNorm(v list number) ? list  
? linearRegress(x list number, y list number) ? list
```

4. Exemples d'utilisation

```
import "std/c/statregress"  
use statregress  
  
create result = regSum(/* args */)   
say result  
  
create result = regMean(/* args */)   
say result  
  
create result = regMin(/* args */)   
say result  
  
create result = regMax(/* args */)   
say result  
  
create result = regVar(/* args */)   
say result  
  
create result = regStd(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/c/statregress"` en tête de fichier.  
? Lancez `afirilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module statregress
function regSum(v list number) returns number
end
function regMean(v list number) returns number
end
function regMin(v list number) returns number
end
function regMax(v list number) returns number
end
function regVar(v list number) returns number
end
function regStd(v list number) returns number
end
function regNorm(v list number) returns list number
end
function linearRegress(x list number, y list number) returns list number
end
end
```

ENGLISH

1. Overview

AFRILANG library `std/c/statregress` (tier complex, category complex). Exports 8 function(s):
regSum, regMean, regMin, r

```
`import "std/c/statregress"` . `use statregress`  
- `regSum(v list number) ? number`  
- `regMean(v list number) ? number`  
- `regMin(v list number) ? number`  
- `regMax(v list number) ? number`  
- `regVar(v list number) ? number`  
- `regStd(v list number) ? number`  
- `regNorm(v list number) ? list number`  
- `linearRegress(x list number, y list number) ? list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/statregress"  
use statregress  
  
Tier: complex · Category: Complex modules (c/)  
Advanced domains ? graphs, NLP, complex networks.
```

3. API reference

```
? regSum(v list number) ? number  
? regMean(v list number) ? number  
? regMin(v list number) ? number  
? regMax(v list number) ? number  
? regVar(v list number) ? number  
? regStd(v list number) ? number  
? regNorm(v list number) ? list  
? linearRegress(x list number, y list number) ? list
```

4. Usage examples

```
import "std/c/statregress"  
use statregress  
  
create result = regSum(/* args */)   
say result  
  
create result = regMean(/* args */)   
say result  
  
create result = regMin(/* args */)   
say result  
  
create result = regMax(/* args */)   
say result  
  
create result = regVar(/* args */)   
say result  
  
create result = regStd(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/c/statregress"` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module statregress
function regSum(v list number) returns number
end
function regMean(v list number) returns number
end
function regMin(v list number) returns number
end
function regMax(v list number) returns number
end
function regVar(v list number) returns number
end
function regStd(v list number) returns number
end
function regNorm(v list number) returns list number
end
function linearRegress(x list number, y list number) returns list number
end
end
```