

AFRILANG Stdlib

std/dice

Bibliothèque AFRILANG `std/dice` (niveau simple, catégorie games). Elle expose 2 fonction(s) : roll, roll2d6.

```
`import "std/dice" · `use dice`
```

- `roll(sides number) ? number`
- `roll2d6(ignored number) ? number`

Category: games | Tier: simple | Functions: 2

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/dice` (niveau simple, catégorie games). Elle expose 2 fonction(s) : roll, roll2d6.

```
`import "std/dice"` . `use dice`  
- `roll(sides number) ? number`  
- `roll2d6(ignored number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/dice"  
use dice
```

Niveau : simple · Catégorie : Jeux & simulation
Dés, collisions, physique ludique.

3. Référence API

```
? roll(sides number) ? number  
? roll2d6(ignored number) ? number
```

4. Exemples d'utilisation

```
import "std/dice"  
use dice  
  
create result = roll(/* args */)   
say result  
  
create result = roll2d6(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/dice"` en tête de fichier.  
? Lancez `afrilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module dice  
  
function roll(sides number) returns number  
end  
  
function roll2d6(ignored number) returns number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/dice` (tier simple, category games). Exports 2 function(s): roll, roll2d6.

```
`import "std/dice"` . `use dice`  
- `roll(sides number) ? number`  
- `roll2d6(ignored number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/dice"  
use dice
```

Tier: simple . Category: Games & simulation
Dice, collisions, game physics.

3. API reference

```
? roll(sides number) ? number  
? roll2d6(ignored number) ? number
```

4. Usage examples

```
import "std/dice"  
use dice  
  
create result = roll(/* args */)   
say result  
  
create result = roll2d6(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/dice"` at the top of your file.  
? Run `afriLang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module dice  
  
function roll(sides number) returns number  
end  
  
function roll2d6(ignored number) returns number  
end  
end
```


