

AFRILANG Stdlib

std/discount

Bibliothèque AFRILANG `std/discount` (niveau simple, catégorie finance). Elle expose 2 fonction(s) :
applyDiscount, disc

```
`import "std/discount" . `use discount`
```

- `applyDiscount(price number, rate number) ? number`
- `discountAmount(price number, rate number) ? number`

Category: finance | Tier: simple | Functions: 2

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/discount` (niveau simple, catégorie finance). Elle expose 2 fonction(s) : `applyDiscount`, `disc`

```
`import "std/discount"` · `use discount`  
- `applyDiscount(price number, rate number) ? number`  
- `discountAmount(price number, rate number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/discount"  
use discount
```

Niveau : simple · Catégorie : Finance
Monnaie, intérêts, budgets, marchés.

3. Référence API

? `applyDiscount(price number, rate number) ? number`
? `discountAmount(price number, rate number) ? number`

4. Exemples d'utilisation

```
import "std/discount"  
use discount  
  
create result = applyDiscount(/* args */)   
say result  
  
create result = discountAmount(/* args */)   
say result
```

5. Bonnes pratiques

? Préférez ``import "std/discount"`` en tête de fichier.
? Lancez ``afrilang check`` avant de livrer.
? Combinez avec les modules `stdlib` de la même catégorie.
? Voir `/stdlib/` pour le source live et les démos playground.
? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module discount  
  
function applyDiscount(price number, rate number) returns number  
end  
  
function discountAmount(price number, rate number) returns number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/discount` (tier simple, category finance). Exports 2 function(s):
applyDiscount, discountAmount.

```
`import "std/discount"` · `use discount`  
- `applyDiscount(price number, rate number) ? number`  
- `discountAmount(price number, rate number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/discount"  
use discount
```

Tier: simple · Category: Finance
Currency, interest, budgets, markets.

3. API reference

? applyDiscount(price number, rate number) ? number
? discountAmount(price number, rate number) ? number

4. Usage examples

```
import "std/discount"  
use discount  
  
create result = applyDiscount(/* args */) say result  
create result = discountAmount(/* args */) say result
```

5. Best practices

? Prefer `import "std/discount"` at the top of your file.
? Run `afrilang check` before shipping.
? Combine with related stdlib modules from the same category.
? See /stdlib/ for the live source and playground demos.
? Report issues on GitHub if an export is missing or undocumented.

6. Appendix ? source

```
module discount  
  
function applyDiscount(price number, rate number) returns number  
end  
  
function discountAmount(price number, rate number) returns number  
end  
end
```


