

AFRILANG Stdlib

std/easing

Bibliothèque AFRILANG `std/easing` (niveau simple, catégorie math). Elle expose 2 fonction(s) : `easeIn`, `easeOut`.

```
`import "std/easing"` · `use easing`
```

- ``easeIn(t number) ? number``
- ``easeOut(t number) ? number``

Category: math | Tier: simple | Functions: 2

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/easing` (niveau simple, catégorie math). Elle expose 2 fonction(s) : easeIn, easeOut.

```
`import "std/easing"` . `use easing`  
- `easeIn(t number) ? number`  
- `easeOut(t number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/easing"  
use easing
```

Niveau : simple . Catégorie : Mathématiques
Arithmétique, trigonométrie, statistiques, conversions.

3. Référence API

```
? easeIn(t number) ? number  
? easeOut(t number) ? number
```

4. Exemples d'utilisation

```
import "std/easing"  
use easing  
  
create result = easeIn(/* args */)   
say result  
  
create result = easeOut(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/easing"` en tête de fichier.  
? Lancez `afrilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module easing  
  
function easeIn(t number) returns number  
end  
  
function easeOut(t number) returns number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/easing` (tier simple, category math). Exports 2 function(s): easeIn, easeOut.

```
`import "std/easing"` . `use easing`  
- `easeIn(t number) ? number`  
- `easeOut(t number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/easing"  
use easing
```

Tier: simple . Category: Mathematics
Arithmetic, trigonometry, statistics, conversions.

3. API reference

? easeIn(t number) ? number
? easeOut(t number) ? number

4. Usage examples

```
import "std/easing"  
use easing  
  
create result = easeIn(/* args */)   
say result  
  
create result = easeOut(/* args */)   
say result
```

5. Best practices

? Prefer `import "std/easing"` at the top of your file.
? Run `afrilang check` before shipping.
? Combine with related stdlib modules from the same category.
? See /stdlib/ for the live source and playground demos.
? Report issues on GitHub if an export is missing or undocumented.

6. Appendix ? source

```
module easing  
  
function easeIn(t number) returns number  
end  
  
function easeOut(t number) returns number  
end  
end
```


