

AFRILANG Stdlib

std/m/agecalc

Bibliothèque AFRILANG `std/m/agecalc` (niveau medium, catégorie medium). Elle expose 4 fonction(s) :
ageYears, ageMonths

```
`import "std/m/agecalc" . `use agecalc`
```

- `ageYears(birth text, today text) ? number`
- `ageMonths(birth text, today text) ? number`
- `ageDays(birth text, today text) ? number`
- `isBirthday(birth text, today text) ? bool`

Category: medium | Tier: medium | Functions: 4

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/m/agecalc` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : ageYears, ageMonths

```
`import "std/m/agecalc"` · `use agecalc`  
- `ageYears(birth text, today text) ? number`  
- `ageMonths(birth text, today text) ? number`  
- `ageDays(birth text, today text) ? number`  
- `isBirthday(birth text, today text) ? bool`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/agecalc"  
use agecalc
```

Niveau : medium · Catégorie : Modules medium (m/)

Bibliothèques intermédiaires ? import std/m/?

3. Référence API

```
? ageYears(birth text, today text) ? number  
? ageMonths(birth text, today text) ? number  
? ageDays(birth text, today text) ? number  
? isBirthday(birth text, today text) ? bool
```

4. Exemples d'utilisation

```
import "std/m/agecalc"  
use agecalc  
  
create result = ageYears(/* args */)   
say result  
  
create result = ageMonths(/* args */)   
say result  
  
create result = ageDays(/* args */)   
say result  
  
create result = isBirthday(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/m/agecalc"` en tête de fichier.  
? Lancez `afrilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module agecalc  
  
function ageYears(birth text, today text) returns number  
end  
  
function ageMonths(birth text, today text) returns number  
end  
  
function ageDays(birth text, today text) returns number  
end  
  
function isBirthday(birth text, today text) returns bool  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/m/agecalc` (tier medium, category medium). Exports 4 function(s): ageYears, ageMonths, ageDays, is

```
`import "std/m/agecalc"` · `use agecalc`  
- `ageYears(birth text, today text) ? number`  
- `ageMonths(birth text, today text) ? number`  
- `ageDays(birth text, today text) ? number`  
- `isBirthday(birth text, today text) ? bool`
```

2. Installation & import

Add the module to your program:

```
import "std/m/agecalc"  
use agecalc
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries ? import std/m/?

3. API reference

```
? ageYears(birth text, today text) ? number  
? ageMonths(birth text, today text) ? number  
? ageDays(birth text, today text) ? number  
? isBirthday(birth text, today text) ? bool
```

4. Usage examples

```
import "std/m/agecalc"  
use agecalc  
  
create result = ageYears(/* args */)   
say result  
  
create result = ageMonths(/* args */)   
say result  
  
create result = ageDays(/* args */)   
say result  
  
create result = isBirthday(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/m/agecalc"` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module agecalc  
  
function ageYears(birth text, today text) returns number  
end  
  
function ageMonths(birth text, today text) returns number  
end  
  
function ageDays(birth text, today text) returns number  
end  
  
function isBirthday(birth text, today text) returns bool  
end  
end
```


