

AFRILANG Stdlib

std/m/compound2

Bibliothèque AFRILANG `std/m/compound2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) :
compoundAnnual, c

```
`import "std/m/compound2" . `use compound2`
```

- `compoundAnnual(principal number, rate number, years number) ? number`
- `compoundMonthly(principal number, rate number, months number) ? number`
- `effectiveRate(nominal number, periods number) ? number`
- `doublingTime(rate number) ? number`

Category: medium | Tier: medium | Functions: 4

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/m/compound2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : compoundAnnual, c

```
`import "std/m/compound2" . `use compound2`  
- `compoundAnnual(principal number, rate number, years number) ? number`  
- `compoundMonthly(principal number, rate number, months number) ? number`  
- `effectiveRate(nominal number, periods number) ? number`  
- `doublingTime(rate number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/compound2"  
use compound2
```

Niveau : medium · Catégorie : Modules medium (m/)

Bibliothèques intermédiaires ? import std/m/?

3. Référence API

```
? compoundAnnual(principal number, rate number, years number) ? number  
? compoundMonthly(principal number, rate number, months number) ? number  
? effectiveRate(nominal number, periods number) ? number  
? doublingTime(rate number) ? number
```

4. Exemples d'utilisation

```
import "std/m/compound2"  
use compound2  
  
create result = compoundAnnual(/* args */)   
say result  
  
create result = compoundMonthly(/* args */)   
say result  
  
create result = effectiveRate(/* args */)   
say result  
  
create result = doublingTime(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/m/compound2"` en tête de fichier.  
? Lancez `afrilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module compound2  
  
function compoundAnnual(principal number, rate number, years number) returns number  
end  
  
function compoundMonthly(principal number, rate number, months number) returns number  
end  
  
function effectiveRate(nominal number, periods number) returns number  
end  
  
function doublingTime(rate number) returns number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/m/compound2` (tier medium, category medium). Exports 4 function(s):
compoundAnnual, compoundMonthly

```
`import "std/m/compound2" . `use compound2`  
- `compoundAnnual(principal number, rate number, years number) ? number`  
- `compoundMonthly(principal number, rate number, months number) ? number`  
- `effectiveRate(nominal number, periods number) ? number`  
- `doublingTime(rate number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/compound2"  
use compound2  
  
Tier: medium · Category: Medium modules (m/)  
Intermediate libraries ? import std/m/?
```

3. API reference

```
? compoundAnnual(principal number, rate number, years number) ? number  
? compoundMonthly(principal number, rate number, months number) ? number  
? effectiveRate(nominal number, periods number) ? number  
? doublingTime(rate number) ? number
```

4. Usage examples

```
import "std/m/compound2"  
use compound2  
  
create result = compoundAnnual(/* args */)   
say result  
  
create result = compoundMonthly(/* args */)   
say result  
  
create result = effectiveRate(/* args */)   
say result  
  
create result = doublingTime(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/m/compound2"` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module compound2  
  
function compoundAnnual(principal number, rate number, years number) returns number  
end  
  
function compoundMonthly(principal number, rate number, months number) returns number  
end  
  
function effectiveRate(nominal number, periods number) returns number  
end  
  
function doublingTime(rate number) returns number  
end  
end
```


