

AFRILANG Stdlib

std/m/currency2

Bibliothèque AFRILANG `std/m/currency2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) :
convert, crossRat

```
`import "std/m/currency2" · `use currency2`
```

- `convert(amount number, rate number) ? number`
- `crossRate(fromUsd number, toUsd number) ? number`
- `spread(bid number, ask number) ? number`
- `midRate(bid number, ask number) ? number`

Category: medium | Tier: medium | Functions: 4

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/m/currency2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : convert, crossRat

```
`import "std/m/currency2"` · `use currency2`  
- `convert(amount number, rate number) ? number`  
- `crossRate(fromUsd number, toUsd number) ? number`  
- `spread(bid number, ask number) ? number`  
- `midRate(bid number, ask number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/currency2"  
use currency2
```

Niveau : medium · Catégorie : Modules medium (m/)

Bibliothèques intermédiaires ? import std/m/?

3. Référence API

```
? convert(amount number, rate number) ? number  
? crossRate(fromUsd number, toUsd number) ? number  
? spread(bid number, ask number) ? number  
? midRate(bid number, ask number) ? number
```

4. Exemples d'utilisation

```
import "std/m/currency2"  
use currency2  
  
create result = convert(/* args */)   
say result  
  
create result = crossRate(/* args */)   
say result  
  
create result = spread(/* args */)   
say result  
  
create result = midRate(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/m/currency2"` en tête de fichier.  
? Lancez `afrilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module currency2  
  
function convert(amount number, rate number) returns number  
end  
  
function crossRate(fromUsd number, toUsd number) returns number  
end  
  
function spread(bid number, ask number) returns number  
end  
  
function midRate(bid number, ask number) returns number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/m/currency2` (tier medium, category medium). Exports 4 function(s): convert, crossRate, spread, mi

```
`import "std/m/currency2"` · `use currency2`  
- `convert(amount number, rate number) ? number`  
- `crossRate(fromUsd number, toUsd number) ? number`  
- `spread(bid number, ask number) ? number`  
- `midRate(bid number, ask number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/currency2"  
use currency2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries ? import std/m/?

3. API reference

```
? convert(amount number, rate number) ? number  
? crossRate(fromUsd number, toUsd number) ? number  
? spread(bid number, ask number) ? number  
? midRate(bid number, ask number) ? number
```

4. Usage examples

```
import "std/m/currency2"  
use currency2  
  
create result = convert(/* args */)   
say result  
  
create result = crossRate(/* args */)   
say result  
  
create result = spread(/* args */)   
say result  
  
create result = midRate(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/m/currency2"` at the top of your file.  
? Run `afriLang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module currency2  
  
function convert(amount number, rate number) returns number  
end  
  
function crossRate(fromUsd number, toUsd number) returns number  
end  
  
function spread(bid number, ask number) returns number  
end  
  
function midRate(bid number, ask number) returns number  
end  
end
```


