

AFRILANG Stdlib

std/m/datecalc

Bibliothèque AFRILANG `std/m/datecalc` (niveau medium, catégorie medium). Elle expose 5 fonction(s) :
daysBetween, addDa

```
`import "std/m/datecalc" . `use datecalc`
```

- `daysBetween(d1 text, d2 text) ? number`
- `addDays(date text, days number) ? text`
- `isLeapYear(year number) ? bool`
- `daysInMonth(year number, month number) ? number`
- `weekday(date text) ? number`

Category: medium | Tier: medium | Functions: 5

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/m/datecalc` (niveau medium, catégorie medium). Elle expose 5 fonction(s) : daysBetween, addDa

```
`import "std/m/datecalc"` · `use datecalc`  
- `daysBetween(d1 text, d2 text) ? number`  
- `addDays(date text, days number) ? text`  
- `isLeapYear(year number) ? bool`  
- `daysInMonth(year number, month number) ? number`  
- `weekday(date text) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/datecalc"  
use datecalc
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires ? import std/m/?

3. Référence API

```
? daysBetween(d1 text, d2 text) ? number  
? addDays(date text, days number) ? text  
? isLeapYear(year number) ? bool  
? daysInMonth(year number, month number) ? number  
? weekday(date text) ? number
```

4. Exemples d'utilisation

```
import "std/m/datecalc"  
use datecalc  
  
create result = daysBetween(/* args */)   
say result  
  
create result = addDays(/* args */)   
say result  
  
create result = isLeapYear(/* args */)   
say result  
  
create result = daysInMonth(/* args */)   
say result  
  
create result = weekday(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/m/datecalc"` en tête de fichier.  
? Lancez `afrilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module datecalc  
  
function daysBetween(d1 text, d2 text) returns number  
end  
  
function addDays(date text, days number) returns text  
end  
  
function isLeapYear(year number) returns bool
```

end

function daysInMonth(year number, month number) returns number

end

function weekday(date text) returns number

end

end

ENGLISH

1. Overview

AFRILANG library `std/m/datecalc` (tier medium, category medium). Exports 5 function(s):
daysBetween, addDays, isLeapYea

```
`import "std/m/datecalc"` · `use datecalc`  
- `daysBetween(d1 text, d2 text) ? number`  
- `addDays(date text, days number) ? text`  
- `isLeapYear(year number) ? bool`  
- `daysInMonth(year number, month number) ? number`  
- `weekday(date text) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/datecalc"  
use datecalc
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries ? import std/m/?

3. API reference

```
? daysBetween(d1 text, d2 text) ? number  
? addDays(date text, days number) ? text  
? isLeapYear(year number) ? bool  
? daysInMonth(year number, month number) ? number  
? weekday(date text) ? number
```

4. Usage examples

```
import "std/m/datecalc"  
use datecalc  
  
create result = daysBetween(/* args */)   
say result  
  
create result = addDays(/* args */)   
say result  
  
create result = isLeapYear(/* args */)   
say result  
  
create result = daysInMonth(/* args */)   
say result  
  
create result = weekday(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/m/datecalc"` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module datecalc  
  
function daysBetween(d1 text, d2 text) returns number  
end  
  
function addDays(date text, days number) returns text  
end  
  
function isLeapYear(year number) returns bool
```

end

function daysInMonth(year number, month number) returns number

end

function weekday(date text) returns number

end

end