

# AFRILANG Stdlib

## std/m/histogram2

Bibliothèque AFRILANG `std/m/histogram2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : binIndex, normal

```
`import "std/m/histogram2" · `use histogram2`
```

- `binIndex(value number, minVal number, maxVal number, bins number) ? number`
- `normalizeHist(counts list number) ? list number`
- `cumulativeHist(counts list number) ? list number`
- `peakBin(counts list number) ? number`

Category: medium | Tier: medium | Functions: 4

# FRANCAIS

## 1. Vue d'ensemble

Bibliothèque AFRILANG `std/m/histogram2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : binIndex, normal

```
`import "std/m/histogram2"` · `use histogram2`  
- `binIndex(value number, minVal number, maxVal number, bins number) ? number`  
- `normalizeHist(counts list number) ? list number`  
- `cumulativeHist(counts list number) ? list number`  
- `peakBin(counts list number) ? number`
```

## 2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/histogram2"  
use histogram2
```

Niveau : medium · Catégorie : Modules medium (m/)

Bibliothèques intermédiaires ? import std/m/?

## 3. Référence API

```
? binIndex(value number, minVal number, maxVal number, bins number) ? number  
? normalizeHist(counts list number) ? list  
? cumulativeHist(counts list number) ? list  
? peakBin(counts list number) ? number
```

## 4. Exemples d'utilisation

```
import "std/m/histogram2"  
use histogram2  
  
create result = binIndex(/* args */)   
say result  
  
create result = normalizeHist(/* args */)   
say result  
  
create result = cumulativeHist(/* args */)   
say result  
  
create result = peakBin(/* args */)   
say result
```

## 5. Bonnes pratiques

```
? Préférez `import "std/m/histogram2"` en tête de fichier.  
? Lancez `afrilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

## 6. Annexe ? source

```
module histogram2  
  
function binIndex(value number, minVal number, maxVal number, bins number) returns number  
end  
  
function normalizeHist(counts list number) returns list number  
end  
  
function cumulativeHist(counts list number) returns list number  
end  
  
function peakBin(counts list number) returns number  
end  
end
```

# ENGLISH

## 1. Overview

AFRILANG library `std/m/histogram2` (tier medium, category medium). Exports 4 function(s):  
binIndex, normalizeHist, cumu

```
`import "std/m/histogram2"` · `use histogram2`  
- `binIndex(value number, minVal number, maxVal number, bins number) ? number`  
- `normalizeHist(counts list number) ? list number`  
- `cumulativeHist(counts list number) ? list number`  
- `peakBin(counts list number) ? number`
```

## 2. Installation & import

Add the module to your program:

```
import "std/m/histogram2"  
use histogram2
```

Tier: medium · Category: Medium modules (m/)  
Intermediate libraries ? import std/m/?

## 3. API reference

```
? binIndex(value number, minVal number, maxVal number, bins number) ? number  
? normalizeHist(counts list number) ? list  
? cumulativeHist(counts list number) ? list  
? peakBin(counts list number) ? number
```

## 4. Usage examples

```
import "std/m/histogram2"  
use histogram2  
  
create result = binIndex(/* args */)   
say result  
  
create result = normalizeHist(/* args */)   
say result  
  
create result = cumulativeHist(/* args */)   
say result  
  
create result = peakBin(/* args */)   
say result
```

## 5. Best practices

```
? Prefer `import "std/m/histogram2"` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

## 6. Appendix ? source

```
module histogram2  
  
function binIndex(value number, minVal number, maxVal number, bins number) returns number  
end  
  
function normalizeHist(counts list number) returns list number  
end  
  
function cumulativeHist(counts list number) returns list number  
end  
  
function peakBin(counts list number) returns number  
end  
end
```



