

AFRILANG Stdlib

std/m/inflation2

Bibliothèque AFRILANG `std/m/inflation2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) :
inflate, deflate

```
`import "std/m/inflation2" · `use inflation2`
```

- `inflate(amount number, rate number, years number) ? number`
- `deflate(amount number, rate number, years number) ? number`
- `realReturn(nominal number, inflation number) ? number`
- `purchasingPower(amount number, inflation number, years number) ? number`

Category: medium | Tier: medium | Functions: 4

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/m/inflation2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : inflate, deflate

```
`import "std/m/inflation2"` · `use inflation2`  
- `inflate(amount number, rate number, years number) ? number`  
- `deflate(amount number, rate number, years number) ? number`  
- `realReturn(nominal number, inflation number) ? number`  
- `purchasingPower(amount number, inflation number, years number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/inflation2"  
use inflation2
```

Niveau : medium · Catégorie : Modules medium (m/)

Bibliothèques intermédiaires ? import std/m/?

3. Référence API

```
? inflate(amount number, rate number, years number) ? number  
? deflate(amount number, rate number, years number) ? number  
? realReturn(nominal number, inflation number) ? number  
? purchasingPower(amount number, inflation number, years number) ? number
```

4. Exemples d'utilisation

```
import "std/m/inflation2"  
use inflation2  
  
create result = inflate(/* args */)   
say result  
  
create result = deflate(/* args */)   
say result  
  
create result = realReturn(/* args */)   
say result  
  
create result = purchasingPower(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/m/inflation2"` en tête de fichier.  
? Lancez `afrilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module inflation2  
  
function inflate(amount number, rate number, years number) returns number  
end  
  
function deflate(amount number, rate number, years number) returns number  
end  
  
function realReturn(nominal number, inflation number) returns number  
end  
  
function purchasingPower(amount number, inflation number, years number) returns number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/m/inflation2` (tier medium, category medium). Exports 4 function(s):
inflate, deflate, realReturn,

```
`import "std/m/inflation2"` · `use inflation2`  
- `inflate(amount number, rate number, years number) ? number`  
- `deflate(amount number, rate number, years number) ? number`  
- `realReturn(nominal number, inflation number) ? number`  
- `purchasingPower(amount number, inflation number, years number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/inflation2"  
use inflation2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries ? import std/m/?

3. API reference

```
? inflate(amount number, rate number, years number) ? number  
? deflate(amount number, rate number, years number) ? number  
? realReturn(nominal number, inflation number) ? number  
? purchasingPower(amount number, inflation number, years number) ? number
```

4. Usage examples

```
import "std/m/inflation2"  
use inflation2  
  
create result = inflate(/* args */)   
say result  
  
create result = deflate(/* args */)   
say result  
  
create result = realReturn(/* args */)   
say result  
  
create result = purchasingPower(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/m/inflation2"` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module inflation2  
  
function inflate(amount number, rate number, years number) returns number  
end  
  
function deflate(amount number, rate number, years number) returns number  
end  
  
function realReturn(nominal number, inflation number) returns number  
end  
  
function purchasingPower(amount number, inflation number, years number) returns number  
end  
end
```


