

AFRILANG Stdlib

std/m/listbinary

Bibliothèque AFRILANG `std/m/listbinary` (niveau medium, catégorie medium). Elle expose 4 fonction(s) :
binarySearch, lo

```
`import "std/m/listbinary" · `use listbinary`
```

- `binarySearch(v list number, target number) ? number`
- `lowerBound(v list number, target number) ? number`
- `upperBound(v list number, target number) ? number`
- `insertSorted(v list number, val number) ? list number`

Category: medium | Tier: medium | Functions: 4

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRI LANG `std/m/listbinary` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : `binarySearch`, `lo`

```
`import "std/m/listbinary"` · `use listbinary`  
- `binarySearch(v list number, target number) ? number`  
- `lowerBound(v list number, target number) ? number`  
- `upperBound(v list number, target number) ? number`  
- `insertSorted(v list number, val number) ? list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/listbinary"  
use listbinary
```

Niveau : medium · Catégorie : Modules medium (m/)

Bibliothèques intermédiaires ? `import std/m/?`

3. Référence API

```
? binarySearch(v list number, target number) ? number  
? lowerBound(v list number, target number) ? number  
? upperBound(v list number, target number) ? number  
? insertSorted(v list number, val number) ? list
```

4. Exemples d'utilisation

```
import "std/m/listbinary"  
use listbinary  
  
create result = binarySearch(/* args */)   
say result  
  
create result = lowerBound(/* args */)   
say result  
  
create result = upperBound(/* args */)   
say result  
  
create result = insertSorted(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/m/listbinary"` en tête de fichier.  
? Lancez `afri lang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module listbinary  
  
function binarySearch(v list number, target number) returns number  
end  
  
function lowerBound(v list number, target number) returns number  
end  
  
function upperBound(v list number, target number) returns number  
end  
  
function insertSorted(v list number, val number) returns list number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/m/listbinary` (tier medium, category medium). Exports 4 function(s):
binarySearch, lowerBound, upp

```
`import "std/m/listbinary"` · `use listbinary`  
- `binarySearch(v list number, target number) ? number`  
- `lowerBound(v list number, target number) ? number`  
- `upperBound(v list number, target number) ? number`  
- `insertSorted(v list number, val number) ? list number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/listbinary"  
use listbinary
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries ? import std/m/?

3. API reference

```
? binarySearch(v list number, target number) ? number  
? lowerBound(v list number, target number) ? number  
? upperBound(v list number, target number) ? number  
? insertSorted(v list number, val number) ? list
```

4. Usage examples

```
import "std/m/listbinary"  
use listbinary  
  
create result = binarySearch(/* args */)   
say result  
  
create result = lowerBound(/* args */)   
say result  
  
create result = upperBound(/* args */)   
say result  
  
create result = insertSorted(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/m/listbinary"` at the top of your file.  
? Run `afriLang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module listbinary  
  
function binarySearch(v list number, target number) returns number  
end  
  
function lowerBound(v list number, target number) returns number  
end  
  
function upperBound(v list number, target number) returns number  
end  
  
function insertSorted(v list number, val number) returns list number  
end  
end
```


