

AFRILANG Stdlib

std/m/matmul2

Bibliothèque AFRILANG `std/m/matmul2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) :
mul2x2, mulScalar,

```
`import "std/m/matmul2" · `use matmul2`
```

- `mul2x2(a list number, b list number) ? list number`
- `mulScalar(m list number, s number) ? list number`
- `dot2(a list number, b list number) ? number`
- `norm2(v list number) ? number`

Category: medium | Tier: medium | Functions: 4

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/m/matmul2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : `mul2x2`, `mulScalar`,

```
`import "std/m/matmul2"` . `use matmul2`  
- `mul2x2(a list number, b list number) ? list number`  
- `mulScalar(m list number, s number) ? list number`  
- `dot2(a list number, b list number) ? number`  
- `norm2(v list number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/matmul2"  
use matmul2
```

Niveau : medium · Catégorie : Modules medium (m/)

Bibliothèques intermédiaires ? `import std/m/?`

3. Référence API

```
? mul2x2(a list number, b list number) ? list  
? mulScalar(m list number, s number) ? list  
? dot2(a list number, b list number) ? number  
? norm2(v list number) ? number
```

4. Exemples d'utilisation

```
import "std/m/matmul2"  
use matmul2  
  
create result = mul2x2(/* args */)   
say result  
  
create result = mulScalar(/* args */)   
say result  
  
create result = dot2(/* args */)   
say result  
  
create result = norm2(/* args */)   
say result
```

5. Bonnes pratiques

- ? Préférez ``import "std/m/matmul2"`` en tête de fichier.
- ? Lancez ``afrilang check`` avant de livrer.
- ? Combinez avec les modules `stdlib` de la même catégorie.
- ? Voir `/stdlib/` pour le source live et les démos playground.
- ? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module matmul2  
  
function mul2x2(a list number, b list number) returns list number  
end  
  
function mulScalar(m list number, s number) returns list number  
end  
  
function dot2(a list number, b list number) returns number  
end  
  
function norm2(v list number) returns number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/m/matmul2` (tier medium, category medium). Exports 4 function(s): mul2x2, mulScalar, dot2, norm2.

```
`import "std/m/matmul2"` . `use matmul2`  
- `mul2x2(a list number, b list number) ? list number`  
- `mulScalar(m list number, s number) ? list number`  
- `dot2(a list number, b list number) ? number`  
- `norm2(v list number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/matmul2"  
use matmul2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries ? import std/m/?

3. API reference

```
? mul2x2(a list number, b list number) ? list  
? mulScalar(m list number, s number) ? list  
? dot2(a list number, b list number) ? number  
? norm2(v list number) ? number
```

4. Usage examples

```
import "std/m/matmul2"  
use matmul2  
  
create result = mul2x2(/* args */)   
say result  
  
create result = mulScalar(/* args */)   
say result  
  
create result = dot2(/* args */)   
say result  
  
create result = norm2(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/m/matmul2"` at the top of your file.  
? Run `afirilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module matmul2  
  
function mul2x2(a list number, b list number) returns list number  
end  
  
function mulScalar(m list number, s number) returns list number  
end  
  
function dot2(a list number, b list number) returns number  
end  
  
function norm2(v list number) returns number  
end  
end
```


