

AFRILANG Stdlib

std/m/npv2

Bibliothèque AFRILANG `std/m/npv2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : npv, npvSimple, profit

```
`import "std/m/npv2" . `use npv2`
```

- `npv(rate number, cashflows list number) ? number`
- `npvSimple(rate number, initial number, returns list number) ? number`
- `profitability(npvVal number, investment number) ? number`
- `discountedCashflow(cf number, rate number, period number) ? number`

Category: medium | Tier: medium | Functions: 4

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/m/npv2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : npv, npvSimple, profit

```
`import "std/m/npv2"` · `use npv2`  
- `npv(rate number, cashflows list number) ? number`  
- `npvSimple(rate number, initial number, returns list number) ? number`  
- `profitability(npvVal number, investment number) ? number`  
- `discountedCashflow(cf number, rate number, period number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/npv2"  
use npv2
```

Niveau : medium · Catégorie : Modules medium (m/)

Bibliothèques intermédiaires ? import std/m/?

3. Référence API

```
? npv(rate number, cashflows list number) ? number  
? npvSimple(rate number, initial number, returns list number) ? number  
? profitability(npvVal number, investment number) ? number  
? discountedCashflow(cf number, rate number, period number) ? number
```

4. Exemples d'utilisation

```
import "std/m/npv2"  
use npv2  
  
create result = npv(/* args */)   
say result  
  
create result = npvSimple(/* args */)   
say result  
  
create result = profitability(/* args */)   
say result  
  
create result = discountedCashflow(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/m/npv2"` en tête de fichier.  
? Lancez `afrilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module npv2  
  
function npv(rate number, cashflows list number) returns number  
end  
  
function npvSimple(rate number, initial number, returns list number) returns number  
end  
  
function profitability(npvVal number, investment number) returns number  
end  
  
function discountedCashflow(cf number, rate number, period number) returns number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/m/npv2` (tier medium, category medium). Exports 4 function(s): npv, npvSimple, profitability, disc

```
`import "std/m/npv2"` · `use npv2`  
- `npv(rate number, cashflows list number) ? number`  
- `npvSimple(rate number, initial number, returns list number) ? number`  
- `profitability(npvVal number, investment number) ? number`  
- `discountedCashflow(cf number, rate number, period number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/npv2"  
use npv2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries ? import std/m/?

3. API reference

```
? npv(rate number, cashflows list number) ? number  
? npvSimple(rate number, initial number, returns list number) ? number  
? profitability(npvVal number, investment number) ? number  
? discountedCashflow(cf number, rate number, period number) ? number
```

4. Usage examples

```
import "std/m/npv2"  
use npv2  
  
create result = npv(/* args */)   
say result  
  
create result = npvSimple(/* args */)   
say result  
  
create result = profitability(/* args */)   
say result  
  
create result = discountedCashflow(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/m/npv2"` at the top of your file.  
? Run `afriLang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module npv2  
  
function npv(rate number, cashflows list number) returns number  
end  
  
function npvSimple(rate number, initial number, returns list number) returns number  
end  
  
function profitability(npvVal number, investment number) returns number  
end  
  
function discountedCashflow(cf number, rate number, period number) returns number  
end  
end
```


