

AFRILANG Stdlib

std/m/percentile2

Bibliothèque AFRILANG `std/m/percentile2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : percentileRank,

```
`import "std/m/percentile2" · `use percentile2`
```

- `percentileRank(v list number, value number) ? number`
- `percentileValue(v list number, p number) ? number`
- `trimMean(v list number, pct number) ? number`
- `geometricMean(v list number) ? number`

Category: medium | Tier: medium | Functions: 4

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/m/percentile2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : percentileRank,

```
`import "std/m/percentile2"` . `use percentile2`  
- `percentileRank(v list number, value number) ? number`  
- `percentileValue(v list number, p number) ? number`  
- `trimMean(v list number, pct number) ? number`  
- `geometricMean(v list number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/percentile2"  
use percentile2
```

Niveau : medium · Catégorie : Modules medium (m/)

Bibliothèques intermédiaires ? import std/m/?

3. Référence API

```
? percentileRank(v list number, value number) ? number  
? percentileValue(v list number, p number) ? number  
? trimMean(v list number, pct number) ? number  
? geometricMean(v list number) ? number
```

4. Exemples d'utilisation

```
import "std/m/percentile2"  
use percentile2  
  
create result = percentileRank(/* args */)   
say result  
  
create result = percentileValue(/* args */)   
say result  
  
create result = trimMean(/* args */)   
say result  
  
create result = geometricMean(/* args */)   
say result
```

5. Bonnes pratiques

- ? Préférez `import "std/m/percentile2"` en tête de fichier.
- ? Lancez `afrilang check` avant de livrer.
- ? Combinez avec les modules stdlib de la même catégorie.
- ? Voir /stdlib/ pour le source live et les démos playground.
- ? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module percentile2  
  
function percentileRank(v list number, value number) returns number  
end  
  
function percentileValue(v list number, p number) returns number  
end  
  
function trimMean(v list number, pct number) returns number  
end  
  
function geometricMean(v list number) returns number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/m/percentile2` (tier medium, category medium). Exports 4 function(s): percentileRank, percentileVa

```
`import "std/m/percentile2"` . `use percentile2`  
- `percentileRank(v list number, value number) ? number`  
- `percentileValue(v list number, p number) ? number`  
- `trimMean(v list number, pct number) ? number`  
- `geometricMean(v list number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/percentile2"  
use percentile2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries ? import std/m/?

3. API reference

```
? percentileRank(v list number, value number) ? number  
? percentileValue(v list number, p number) ? number  
? trimMean(v list number, pct number) ? number  
? geometricMean(v list number) ? number
```

4. Usage examples

```
import "std/m/percentile2"  
use percentile2  
  
create result = percentileRank(/* args */)   
say result  
  
create result = percentileValue(/* args */)   
say result  
  
create result = trimMean(/* args */)   
say result  
  
create result = geometricMean(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/m/percentile2"` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module percentile2  
  
function percentileRank(v list number, value number) returns number  
end  
  
function percentileValue(v list number, p number) returns number  
end  
  
function trimMean(v list number, pct number) returns number  
end  
  
function geometricMean(v list number) returns number  
end  
end
```


