

AFRILANG Stdlib

std/m/season2

Bibliothèque AFRILANG `std/m/season2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) :
seasonOf, isSummer,

```
`import "std/m/season2" · `use season2`
```

- `seasonOf(month number) ? text`
- `isSummer(month number) ? bool`
- `isWinter(month number) ? bool`
- `daylightHours(month number, lat number) ? number`

Category: medium | Tier: medium | Functions: 4

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/m/season2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : `seasonOf`, `isSummer`,

```
`import "std/m/season2"` · `use season2`  
- `seasonOf(month number) ? text`  
- `isSummer(month number) ? bool`  
- `isWinter(month number) ? bool`  
- `daylightHours(month number, lat number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/season2"  
use season2
```

Niveau : medium · Catégorie : Modules medium (m/)

Bibliothèques intermédiaires ? import std/m/?

3. Référence API

```
? seasonOf(month number) ? text  
? isSummer(month number) ? bool  
? isWinter(month number) ? bool  
? daylightHours(month number, lat number) ? number
```

4. Exemples d'utilisation

```
import "std/m/season2"  
use season2  
  
create result = seasonOf(/* args */)   
say result  
  
create result = isSummer(/* args */)   
say result  
  
create result = isWinter(/* args */)   
say result  
  
create result = daylightHours(/* args */)   
say result
```

5. Bonnes pratiques

- ? Préférez `import "std/m/season2"` en tête de fichier.
- ? Lancez `afrilang check` avant de livrer.
- ? Combinez avec les modules stdlib de la même catégorie.
- ? Voir /stdlib/ pour le source live et les démos playground.
- ? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module season2  
  
function seasonOf(month number) returns text  
end  
  
function isSummer(month number) returns bool  
end  
  
function isWinter(month number) returns bool  
end  
  
function daylightHours(month number, lat number) returns number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/m/season2` (tier medium, category medium). Exports 4 function(s): seasonOf, isSummer, isWinter, da

```
`import "std/m/season2"` · `use season2`  
- `seasonOf(month number) ? text`  
- `isSummer(month number) ? bool`  
- `isWinter(month number) ? bool`  
- `daylightHours(month number, lat number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/season2"  
use season2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries ? import std/m/?

3. API reference

```
? seasonOf(month number) ? text  
? isSummer(month number) ? bool  
? isWinter(month number) ? bool  
? daylightHours(month number, lat number) ? number
```

4. Usage examples

```
import "std/m/season2"  
use season2  
  
create result = seasonOf(/* args */)   
say result  
  
create result = isSummer(/* args */)   
say result  
  
create result = isWinter(/* args */)   
say result  
  
create result = daylightHours(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/m/season2"` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module season2  
  
function seasonOf(month number) returns text  
end  
  
function isSummer(month number) returns bool  
end  
  
function isWinter(month number) returns bool  
end  
  
function daylightHours(month number, lat number) returns number  
end  
end
```


