

AFRILANG Stdlib

std/m/timestamp2

Bibliothèque AFRILANG `std/m/timestamp2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : epochDays, fromE

```
`import "std/m/timestamp2" . `use timestamp2`
```

- `epochDays(date text) ? number`
- `fromEpochDays(days number) ? text`
- `isValidDate(date text) ? bool`
- `todayOffset(date text, offset number) ? number`

Category: medium | Tier: medium | Functions: 4

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG ``std/m/timestamp2`` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : epochDays, fromE

```
`import "std/m/timestamp2"` · `use timestamp2`  
- `epochDays(date text) ? number`  
- `fromEpochDays(days number) ? text`  
- `isValidDate(date text) ? bool`  
- `todayOffset(date text, offset number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/timestamp2"  
use timestamp2
```

Niveau : medium · Catégorie : Modules medium (m/)

Bibliothèques intermédiaires ? import std/m/?

3. Référence API

```
? epochDays(date text) ? number  
? fromEpochDays(days number) ? text  
? isValidDate(date text) ? bool  
? todayOffset(date text, offset number) ? number
```

4. Exemples d'utilisation

```
import "std/m/timestamp2"  
use timestamp2  
  
create result = epochDays(/* args */)   
say result  
  
create result = fromEpochDays(/* args */)   
say result  
  
create result = isValidDate(/* args */)   
say result  
  
create result = todayOffset(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/m/timestamp2"` en tête de fichier.  
? Lancez `afriLANG check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module timestamp2  
  
function epochDays(date text) returns number  
end  
  
function fromEpochDays(days number) returns text  
end  
  
function isValidDate(date text) returns bool  
end  
  
function todayOffset(date text, offset number) returns number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/m/timestamp2` (tier medium, category medium). Exports 4 function(s): epochDays, fromEpochDays, isValidDate, todayOffset

```
`import "std/m/timestamp2"` · `use timestamp2`  
- `epochDays(date text) ? number`  
- `fromEpochDays(days number) ? text`  
- `isValidDate(date text) ? bool`  
- `todayOffset(date text, offset number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/timestamp2"  
use timestamp2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries ? import std/m/?

3. API reference

```
? epochDays(date text) ? number  
? fromEpochDays(days number) ? text  
? isValidDate(date text) ? bool  
? todayOffset(date text, offset number) ? number
```

4. Usage examples

```
import "std/m/timestamp2"  
use timestamp2  
  
create result = epochDays(/* args */)   
say result  
  
create result = fromEpochDays(/* args */)   
say result  
  
create result = isValidDate(/* args */)   
say result  
  
create result = todayOffset(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/m/timestamp2"` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module timestamp2  
  
function epochDays(date text) returns number  
end  
  
function fromEpochDays(days number) returns text  
end  
  
function isValidDate(date text) returns bool  
end  
  
function todayOffset(date text, offset number) returns number  
end  
end
```


