

AFRILANG Stdlib

std/m/vector3

Bibliothèque AFRILANG `std/m/vector3` (niveau medium, catégorie medium). Elle expose 4 fonction(s) :
cross3, dot3, length

```
`import "std/m/vector3" · `use vector3`
```

- `cross3(a list number, b list number) ? list number`
- `dot3(a list number, b list number) ? number`
- `length3(v list number) ? number`
- `normalize3(v list number) ? list number`

Category: medium | Tier: medium | Functions: 4

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/m/vector3` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : `cross3`, `dot3`, `lengt`

```
`import "std/m/vector3"` · `use vector3`  
- `cross3(a list number, b list number) ? list number`  
- `dot3(a list number, b list number) ? number`  
- `length3(v list number) ? number`  
- `normalize3(v list number) ? list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/vector3"  
use vector3
```

Niveau : medium · Catégorie : Modules medium (m/)

Bibliothèques intermédiaires ? import std/m/?

3. Référence API

```
? cross3(a list number, b list number) ? list  
? dot3(a list number, b list number) ? number  
? length3(v list number) ? number  
? normalize3(v list number) ? list
```

4. Exemples d'utilisation

```
import "std/m/vector3"  
use vector3  
  
create result = cross3(/* args */)   
say result  
  
create result = dot3(/* args */)   
say result  
  
create result = length3(/* args */)   
say result  
  
create result = normalize3(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/m/vector3"` en tête de fichier.  
? Lancez `afrilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module vector3  
  
function cross3(a list number, b list number) returns list number  
end  
  
function dot3(a list number, b list number) returns number  
end  
  
function length3(v list number) returns number  
end  
  
function normalize3(v list number) returns list number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/m/vector3` (tier medium, category medium). Exports 4 function(s): cross3, dot3, length3, normalize

```
`import "std/m/vector3"` · `use vector3`  
- `cross3(a list number, b list number) ? list number`  
- `dot3(a list number, b list number) ? number`  
- `length3(v list number) ? number`  
- `normalize3(v list number) ? list number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/vector3"  
use vector3
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries ? import std/m/?

3. API reference

```
? cross3(a list number, b list number) ? list  
? dot3(a list number, b list number) ? number  
? length3(v list number) ? number  
? normalize3(v list number) ? list
```

4. Usage examples

```
import "std/m/vector3"  
use vector3  
  
create result = cross3(/* args */)   
say result  
  
create result = dot3(/* args */)   
say result  
  
create result = length3(/* args */)   
say result  
  
create result = normalize3(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/m/vector3"` at the top of your file.  
? Run `afriLang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module vector3  
  
function cross3(a list number, b list number) returns list number  
end  
  
function dot3(a list number, b list number) returns number  
end  
  
function length3(v list number) returns number  
end  
  
function normalize3(v list number) returns list number  
end  
end
```


