

AFRILANG Stdlib

std/sign

Bibliothèque AFRILANG `std/sign` (niveau simple, catégorie math). Elle expose 2 fonction(s) : sign, isPositive.

```
`import "std/sign" · `use sign`
```

```
- `sign(n number) ? number`
```

```
- `isPositive(n number) ? bool`
```

Category: math | Tier: simple | Functions: 2

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG ``std/sign`` (niveau simple, catégorie math). Elle expose 2 fonction(s) : `sign`, `isPositive`.

```
`import "std/sign"` . `use sign`  
- `sign(n number) ? number`  
- `isPositive(n number) ? bool`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/sign"  
use sign
```

Niveau : simple · Catégorie : Mathématiques
Arithmétique, trigonométrie, statistiques, conversions.

3. Référence API

```
? sign(n number) ? number  
? isPositive(n number) ? bool
```

4. Exemples d'utilisation

```
import "std/sign"  
use sign  
  
create result = sign(/* args */)   
say result  
  
create result = isPositive(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/sign"` en tête de fichier.  
? Lancez `afrilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module sign  
  
function sign(n number) returns number  
end  
  
function isPositive(n number) returns bool  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/sign` (tier simple, category math). Exports 2 function(s): sign, isPositive.

```
`import "std/sign"` · `use sign`  
- `sign(n number) ? number`  
- `isPositive(n number) ? bool`
```

2. Installation & import

Add the module to your program:

```
import "std/sign"  
use sign
```

Tier: simple · Category: Mathematics
Arithmetic, trigonometry, statistics, conversions.

3. API reference

```
? sign(n number) ? number  
? isPositive(n number) ? bool
```

4. Usage examples

```
import "std/sign"  
use sign  
  
create result = sign(/* args */)   
say result  
  
create result = isPositive(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/sign"` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module sign  
  
function sign(n number) returns number  
end  
  
function isPositive(n number) returns bool  
end  
end
```


