

# AFRILANG Stdlib

## std/c/cryptscript

Bibliothèque AFRILANG `std/c/cryptscript` (niveau complex, catégorie complex). Elle expose 8 fonction(s) :  
scryLen, scry

```
`import "std/c/cryptscript" . `use cryptscript`
```

- `scryLen(s text) ? number`
- `scryUpper(s text) ? text`
- `scryLower(s text) ? text`
- `scryTrim(s text) ? text`
- `scrySplit(s text, delim text) ? list text`
- `scryJoin(parts list text, delim text) ? text`
- `scryReplace(s text, from text, to text) ? text`
- `hash32(s text) ? number`

Category: complex | Tier: complex | Functions: 8

# FRANCAIS

## 1. Vue d'ensemble

Bibliothèque AFRILANG `std/c/cryptscript` (niveau complexe, catégorie complexe). Elle expose 8 fonction(s) : scryLen, scry

```
`import "std/c/cryptscript" . `use cryptscript`  
- `scryLen(s text) ? number`  
- `scryUpper(s text) ? text`  
- `scryLower(s text) ? text`  
- `scryTrim(s text) ? text`  
- `scrySplit(s text, delim text) ? list text`  
- `scryJoin(parts list text, delim text) ? text`  
- `scryReplace(s text, from text, to text) ? text`  
- `hash32(s text) ? number`
```

## 2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/cryptscript"  
use cryptscript
```

Niveau : complexe · Catégorie : Modules complexe (c/)  
Domaines avancés ? graphes, NLP, réseaux complexes.

## 3. Référence API

```
? scryLen(s text) ? number  
? scryUpper(s text) ? text  
? scryLower(s text) ? text  
? scryTrim(s text) ? text  
? scrySplit(s text, delim text) ? list  
? scryJoin(parts list text, delim text) ? text  
? scryReplace(s text, from text, to text) ? text  
? hash32(s text) ? number
```

## 4. Exemples d'utilisation

```
import "std/c/cryptscript"  
use cryptscript  
  
create result = scryLen(/* args */)   
say result  
  
create result = scryUpper(/* args */)   
say result  
  
create result = scryLower(/* args */)   
say result  
  
create result = scryTrim(/* args */)   
say result  
  
create result = scrySplit(/* args */)   
say result  
  
create result = scryJoin(/* args */)   
say result
```

## 5. Bonnes pratiques

```
? Préférez `import "std/c/cryptscript"` en tête de fichier.  
? Lancez `afrilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

## 6. Annexe ? source

```
module cryptscript
function scryLen(s text) returns number
end
function scryUpper(s text) returns text
end
function scryLower(s text) returns text
end
function scryTrim(s text) returns text
end
function scrySplit(s text, delim text) returns list text
end
function scryJoin(parts list text, delim text) returns text
end
function scryReplace(s text, from text, to text) returns text
end
function hash32(s text) returns number
end
end
```

# ENGLISH

## 1. Overview

AFRILANG library `std/c/cryptscript` (tier complex, category complex). Exports 8 function(s): scryLen, scryUpper, scryLo

```
`import "std/c/cryptscript" . `use cryptscript`  
- `scryLen(s text) ? number`  
- `scryUpper(s text) ? text`  
- `scryLower(s text) ? text`  
- `scryTrim(s text) ? text`  
- `scrySplit(s text, delim text) ? list text`  
- `scryJoin(parts list text, delim text) ? text`  
- `scryReplace(s text, from text, to text) ? text`  
- `hash32(s text) ? number`
```

## 2. Installation & import

Add the module to your program:

```
import "std/c/cryptscript"  
use cryptscript
```

Tier: complex · Category: Complex modules (c/)  
Advanced domains ? graphs, NLP, complex networks.

## 3. API reference

```
? scryLen(s text) ? number  
? scryUpper(s text) ? text  
? scryLower(s text) ? text  
? scryTrim(s text) ? text  
? scrySplit(s text, delim text) ? list  
? scryJoin(parts list text, delim text) ? text  
? scryReplace(s text, from text, to text) ? text  
? hash32(s text) ? number
```

## 4. Usage examples

```
import "std/c/cryptscript"  
use cryptscript  
  
create result = scryLen(/* args */)   
say result  
  
create result = scryUpper(/* args */)   
say result  
  
create result = scryLower(/* args */)   
say result  
  
create result = scryTrim(/* args */)   
say result  
  
create result = scrySplit(/* args */)   
say result  
  
create result = scryJoin(/* args */)   
say result
```

## 5. Best practices

```
? Prefer `import "std/c/cryptscript"` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

## 6. Appendix ? source

```
module cryptscript
function scryLen(s text) returns number
end
function scryUpper(s text) returns text
end
function scryLower(s text) returns text
end
function scryTrim(s text) returns text
end
function scrySplit(s text, delim text) returns list text
end
function scryJoin(parts list text, delim text) returns text
end
function scryReplace(s text, from text, to text) returns text
end
function hash32(s text) returns number
end
end
```