

AFRILANG Stdlib

std/c/csvpivot

Bibliothèque AFRILANG `std/c/csvpivot` (niveau complex, catégorie complex). Elle expose 8 fonction(s) : pivoSum, pivoMea

```
`import "std/c/csvpivot" . `use csvpivot`
```

- `pivoSum(v list number) ? number`
- `pivoMean(v list number) ? number`
- `pivoMin(v list number) ? number`
- `pivoMax(v list number) ? number`
- `pivoVar(v list number) ? number`
- `pivoStd(v list number) ? number`
- `pivoNorm(v list number) ? list number`
- `filterGt(col list number, threshold number) ? list number`

Category: complex | Tier: complex | Functions: 8

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/c/csvpivot` (niveau complex, catégorie complex). Elle expose 8 fonction(s) : pivoSum, pivoMea

```
`import "std/c/csvpivot"` . `use csvpivot`  
- `pivoSum(v list number) ? number`  
- `pivoMean(v list number) ? number`  
- `pivoMin(v list number) ? number`  
- `pivoMax(v list number) ? number`  
- `pivoVar(v list number) ? number`  
- `pivoStd(v list number) ? number`  
- `pivoNorm(v list number) ? list number`  
- `filterGt(col list number, threshold number) ? list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/csvpivot"  
use csvpivot
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés ? graphes, NLP, réseaux complexes.

3. Référence API

```
? pivoSum(v list number) ? number  
? pivoMean(v list number) ? number  
? pivoMin(v list number) ? number  
? pivoMax(v list number) ? number  
? pivoVar(v list number) ? number  
? pivoStd(v list number) ? number  
? pivoNorm(v list number) ? list  
? filterGt(col list number, threshold number) ? list
```

4. Exemples d'utilisation

```
import "std/c/csvpivot"  
use csvpivot  
  
create result = pivoSum(/* args */)   
say result  
  
create result = pivoMean(/* args */)   
say result  
  
create result = pivoMin(/* args */)   
say result  
  
create result = pivoMax(/* args */)   
say result  
  
create result = pivoVar(/* args */)   
say result  
  
create result = pivoStd(/* args */)   
say result
```

5. Bonnes pratiques

? Préférez `import "std/c/csvpivot"` en tête de fichier.
? Lancez `afrilang check` avant de livrer.
? Combinez avec les modules stdlib de la même catégorie.
? Voir /stdlib/ pour le source live et les démos playground.
? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module csvpivot
function pivoSum(v list number) returns number
end
function pivoMean(v list number) returns number
end
function pivoMin(v list number) returns number
end
function pivoMax(v list number) returns number
end
function pivoVar(v list number) returns number
end
function pivoStd(v list number) returns number
end
function pivoNorm(v list number) returns list number
end
function filterGt(col list number, threshold number) returns list number
end
end
```

ENGLISH

1. Overview

AFRILANG library `std/c/csvpivot` (tier complex, category complex). Exports 8 function(s): pivoSum, pivoMean, pivoMin, p

```
`import "std/c/csvpivot"` · `use csvpivot`  
- `pivoSum(v list number) ? number`  
- `pivoMean(v list number) ? number`  
- `pivoMin(v list number) ? number`  
- `pivoMax(v list number) ? number`  
- `pivoVar(v list number) ? number`  
- `pivoStd(v list number) ? number`  
- `pivoNorm(v list number) ? list number`  
- `filterGt(col list number, threshold number) ? list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/csvpivot"  
use csvpivot
```

Tier: complex · Category: Complex modules (c/)
Advanced domains ? graphs, NLP, complex networks.

3. API reference

```
? pivoSum(v list number) ? number  
? pivoMean(v list number) ? number  
? pivoMin(v list number) ? number  
? pivoMax(v list number) ? number  
? pivoVar(v list number) ? number  
? pivoStd(v list number) ? number  
? pivoNorm(v list number) ? list  
? filterGt(col list number, threshold number) ? list
```

4. Usage examples

```
import "std/c/csvpivot"  
use csvpivot  
  
create result = pivoSum(/* args */)   
say result  
  
create result = pivoMean(/* args */)   
say result  
  
create result = pivoMin(/* args */)   
say result  
  
create result = pivoMax(/* args */)   
say result  
  
create result = pivoVar(/* args */)   
say result  
  
create result = pivoStd(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/c/csvpivot"` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module csvpivot
function pivoSum(v list number) returns number
end
function pivoMean(v list number) returns number
end
function pivoMin(v list number) returns number
end
function pivoMax(v list number) returns number
end
function pivoVar(v list number) returns number
end
function pivoStd(v list number) returns number
end
function pivoNorm(v list number) returns list number
end
function filterGt(col list number, threshold number) returns list number
end
end
```