

AFRILANG Stdlib

std/c/csvsample

Bibliothèque AFRILANG `std/c/csvsample` (niveau complex, catégorie complex). Elle expose 8 fonction(s) : sampSum, sampMe

```
`import "std/c/csvsample" · `use csvsample`
```

- `sampSum(v list number) ? number`
- `sampMean(v list number) ? number`
- `sampMin(v list number) ? number`
- `sampMax(v list number) ? number`
- `sampVar(v list number) ? number`
- `sampStd(v list number) ? number`
- `sampNorm(v list number) ? list number`
- `filterGt(col list number, threshold number) ? list number`

Category: complex | Tier: complex | Functions: 8

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/c/csvsample` (niveau complex, catégorie complex). Elle expose 8 fonction(s) : sampSum, sampMe

```
`import "std/c/csvsample" . `use csvsample`  
- `sampSum(v list number) ? number`  
- `sampMean(v list number) ? number`  
- `sampMin(v list number) ? number`  
- `sampMax(v list number) ? number`  
- `sampVar(v list number) ? number`  
- `sampStd(v list number) ? number`  
- `sampNorm(v list number) ? list number`  
- `filterGt(col list number, threshold number) ? list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/csvsample"  
use csvsample
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés ? graphes, NLP, réseaux complexes.

3. Référence API

```
? sampSum(v list number) ? number  
? sampMean(v list number) ? number  
? sampMin(v list number) ? number  
? sampMax(v list number) ? number  
? sampVar(v list number) ? number  
? sampStd(v list number) ? number  
? sampNorm(v list number) ? list  
? filterGt(col list number, threshold number) ? list
```

4. Exemples d'utilisation

```
import "std/c/csvsample"  
use csvsample  
  
create result = sampSum(/* args */)   
say result  
  
create result = sampMean(/* args */)   
say result  
  
create result = sampMin(/* args */)   
say result  
  
create result = sampMax(/* args */)   
say result  
  
create result = sampVar(/* args */)   
say result  
  
create result = sampStd(/* args */)   
say result
```

5. Bonnes pratiques

- ? Préférez `import "std/c/csvsample"` en tête de fichier.
- ? Lancez `afrilang check` avant de livrer.
- ? Combinez avec les modules stdlib de la même catégorie.
- ? Voir /stdlib/ pour le source live et les démos playground.
- ? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module csvsample
function sampSum(v list number) returns number
end
function sampMean(v list number) returns number
end
function sampMin(v list number) returns number
end
function sampMax(v list number) returns number
end
function sampVar(v list number) returns number
end
function sampStd(v list number) returns number
end
function sampNorm(v list number) returns list number
end
function filterGt(col list number, threshold number) returns list number
end
end
```

ENGLISH

1. Overview

AFRILANG library `std/c/csvsample` (tier complex, category complex). Exports 8 function(s):
sampSum, sampMean, sampMin,

```
`import "std/c/csvsample" . `use csvsample`  
- `sampSum(v list number) ? number`  
- `sampMean(v list number) ? number`  
- `sampMin(v list number) ? number`  
- `sampMax(v list number) ? number`  
- `sampVar(v list number) ? number`  
- `sampStd(v list number) ? number`  
- `sampNorm(v list number) ? list number`  
- `filterGt(col list number, threshold number) ? list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/csvsample"  
use csvsample
```

Tier: complex · Category: Complex modules (c/)
Advanced domains ? graphs, NLP, complex networks.

3. API reference

```
? sampSum(v list number) ? number  
? sampMean(v list number) ? number  
? sampMin(v list number) ? number  
? sampMax(v list number) ? number  
? sampVar(v list number) ? number  
? sampStd(v list number) ? number  
? sampNorm(v list number) ? list  
? filterGt(col list number, threshold number) ? list
```

4. Usage examples

```
import "std/c/csvsample"  
use csvsample  
  
create result = sampSum(/* args */)   
say result  
  
create result = sampMean(/* args */)   
say result  
  
create result = sampMin(/* args */)   
say result  
  
create result = sampMax(/* args */)   
say result  
  
create result = sampVar(/* args */)   
say result  
  
create result = sampStd(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/c/csvsample" ` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module csvsample
function sampSum(v list number) returns number
end
function sampMean(v list number) returns number
end
function sampMin(v list number) returns number
end
function sampMax(v list number) returns number
end
function sampVar(v list number) returns number
end
function sampStd(v list number) returns number
end
function sampNorm(v list number) returns list number
end
function filterGt(col list number, threshold number) returns list number
end
end
```