

AFRILANG Stdlib

std/c/csvwindow

Bibliothèque AFRILANG `std/c/csvwindow` (niveau complex, catégorie complex). Elle expose 8 fonction(s) :
windSum, windMe

```
`import "std/c/csvwindow" · `use csvwindow`
```

- `windSum(v list number) ? number`
- `windMean(v list number) ? number`
- `windMin(v list number) ? number`
- `windMax(v list number) ? number`
- `windVar(v list number) ? number`
- `windStd(v list number) ? number`
- `windNorm(v list number) ? list number`
- `filterGt(col list number, threshold number) ? list number`

Category: complex | Tier: complex | Functions: 8

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/c/csvwindow` (niveau complex, catégorie complex). Elle expose 8 fonction(s) : windSum, windMe

```
`import "std/c/csvwindow" . `use csvwindow`  
- `windSum(v list number) ? number`  
- `windMean(v list number) ? number`  
- `windMin(v list number) ? number`  
- `windMax(v list number) ? number`  
- `windVar(v list number) ? number`  
- `windStd(v list number) ? number`  
- `windNorm(v list number) ? list number`  
- `filterGt(col list number, threshold number) ? list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/csvwindow"  
use csvwindow
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés ? graphes, NLP, réseaux complexes.

3. Référence API

```
? windSum(v list number) ? number  
? windMean(v list number) ? number  
? windMin(v list number) ? number  
? windMax(v list number) ? number  
? windVar(v list number) ? number  
? windStd(v list number) ? number  
? windNorm(v list number) ? list  
? filterGt(col list number, threshold number) ? list
```

4. Exemples d'utilisation

```
import "std/c/csvwindow"  
use csvwindow  
  
create result = windSum(/* args */)   
say result  
  
create result = windMean(/* args */)   
say result  
  
create result = windMin(/* args */)   
say result  
  
create result = windMax(/* args */)   
say result  
  
create result = windVar(/* args */)   
say result  
  
create result = windStd(/* args */)   
say result
```

5. Bonnes pratiques

- ? Préférez `import "std/c/csvwindow"` en tête de fichier.
- ? Lancez `afrilang check` avant de livrer.
- ? Combinez avec les modules stdlib de la même catégorie.
- ? Voir /stdlib/ pour le source live et les démos playground.
- ? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module csvwindow
function windSum(v list number) returns number
end
function windMean(v list number) returns number
end
function windMin(v list number) returns number
end
function windMax(v list number) returns number
end
function windVar(v list number) returns number
end
function windStd(v list number) returns number
end
function windNorm(v list number) returns list number
end
function filterGt(col list number, threshold number) returns list number
end
end
```

ENGLISH

1. Overview

AFRILANG library `std/c/csvwindow` (tier complex, category complex). Exports 8 function(s):
windSum, windMean, windMin,

```
`import "std/c/csvwindow" . `use csvwindow`  
- `windSum(v list number) ? number`  
- `windMean(v list number) ? number`  
- `windMin(v list number) ? number`  
- `windMax(v list number) ? number`  
- `windVar(v list number) ? number`  
- `windStd(v list number) ? number`  
- `windNorm(v list number) ? list number`  
- `filterGt(col list number, threshold number) ? list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/csvwindow"  
use csvwindow
```

Tier: complex · Category: Complex modules (c/)
Advanced domains ? graphs, NLP, complex networks.

3. API reference

```
? windSum(v list number) ? number  
? windMean(v list number) ? number  
? windMin(v list number) ? number  
? windMax(v list number) ? number  
? windVar(v list number) ? number  
? windStd(v list number) ? number  
? windNorm(v list number) ? list  
? filterGt(col list number, threshold number) ? list
```

4. Usage examples

```
import "std/c/csvwindow"  
use csvwindow  
  
create result = windSum(/* args */)   
say result  
  
create result = windMean(/* args */)   
say result  
  
create result = windMin(/* args */)   
say result  
  
create result = windMax(/* args */)   
say result  
  
create result = windVar(/* args */)   
say result  
  
create result = windStd(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/c/csvwindow"` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module csvwindow
function windSum(v list number) returns number
end
function windMean(v list number) returns number
end
function windMin(v list number) returns number
end
function windMax(v list number) returns number
end
function windVar(v list number) returns number
end
function windStd(v list number) returns number
end
function windNorm(v list number) returns list number
end
function filterGt(col list number, threshold number) returns list number
end
end
```