

AFRILANG Stdlib

std/c/graphdijk

Bibliothèque AFRILANG `std/c/graphdijk` (niveau complex, catégorie complex). Elle expose 7 fonction(s) : dijkstra, short

```
`import "std/c/graphdijk" . `use graphdijk`
```

- `dijkstra(adj list number, n number, start number) ? list number`
- `shortestWeighted(adj list number, n number, start number, goal number) ? number`
- `dijkstraPath(adj list number, n number, start number, goal number) ? list number`
- `minEdgeWeight(adj list number, n number) ? number`
- `maxEdgeWeight(adj list number, n number) ? number`
- `avgEdgeWeight(adj list number, n number) ? number`
- `edgeCount(adj list number, n number) ? number`

Category: complex | Tier: complex | Functions: 7

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/c/graphdijk` (niveau complex, catégorie complex). Elle expose 7 fonction(s) : dijkstra, short

```
`import "std/c/graphdijk" . `use graphdijk`  
- `dijkstra(adj list number, n number, start number) ? list number`  
- `shortestWeighted(adj list number, n number, start number, goal number) ? number`  
- `dijkstraPath(adj list number, n number, start number, goal number) ? list number`  
- `minEdgeWeight(adj list number, n number) ? number`  
- `maxEdgeWeight(adj list number, n number) ? number`  
- `avgEdgeWeight(adj list number, n number) ? number`  
- `edgeCount(adj list number, n number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/graphdijk"  
use graphdijk
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés ? graphes, NLP, réseaux complexes.

3. Référence API

```
? dijkstra(adj list number, n number, start number) ? list  
? shortestWeighted(adj list number, n number, start number, goal number) ? number  
? dijkstraPath(adj list number, n number, start number, goal number) ? list  
? minEdgeWeight(adj list number, n number) ? number  
? maxEdgeWeight(adj list number, n number) ? number  
? avgEdgeWeight(adj list number, n number) ? number  
? edgeCount(adj list number, n number) ? number
```

4. Exemples d'utilisation

```
import "std/c/graphdijk"  
use graphdijk  
  
create result = dijkstra(/* args */)   
say result  
  
create result = shortestWeighted(/* args */)   
say result  
  
create result = dijkstraPath(/* args */)   
say result  
  
create result = minEdgeWeight(/* args */)   
say result  
  
create result = maxEdgeWeight(/* args */)   
say result  
  
create result = avgEdgeWeight(/* args */)   
say result
```

5. Bonnes pratiques

? Préférez `import "std/c/graphdijk"` en tête de fichier.
? Lancez `afrilang check` avant de livrer.
? Combinez avec les modules stdlib de la même catégorie.
? Voir /stdlib/ pour le source live et les démos playground.
? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

module graphdijk

```
function dijkstra(adj list number, n number, start number) returns list number
end

function shortestWeighted(adj list number, n number, start number, goal number) returns number
end

function dijkstraPath(adj list number, n number, start number, goal number) returns list number
end

function minEdgeWeight(adj list number, n number) returns number
end

function maxEdgeWeight(adj list number, n number) returns number
end

function avgEdgeWeight(adj list number, n number) returns number
end

function edgeCount(adj list number, n number) returns number
end
```

ENGLISH

1. Overview

AFRILANG library `std/c/graphdijk` (tier complex, category complex). Exports 7 function(s):
dijkstra, shortestWeighted,

```
`import "std/c/graphdijk" . `use graphdijk`  
- `dijkstra(adj list number, n number, start number) ? list number`  
- `shortestWeighted(adj list number, n number, start number, goal number) ? number`  
- `dijkstraPath(adj list number, n number, start number, goal number) ? list number`  
- `minEdgeWeight(adj list number, n number) ? number`  
- `maxEdgeWeight(adj list number, n number) ? number`  
- `avgEdgeWeight(adj list number, n number) ? number`  
- `edgeCount(adj list number, n number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/graphdijk"  
use graphdijk
```

Tier: complex · Category: Complex modules (c/)
Advanced domains ? graphs, NLP, complex networks.

3. API reference

```
? dijkstra(adj list number, n number, start number) ? list  
? shortestWeighted(adj list number, n number, start number, goal number) ? number  
? dijkstraPath(adj list number, n number, start number, goal number) ? list  
? minEdgeWeight(adj list number, n number) ? number  
? maxEdgeWeight(adj list number, n number) ? number  
? avgEdgeWeight(adj list number, n number) ? number  
? edgeCount(adj list number, n number) ? number
```

4. Usage examples

```
import "std/c/graphdijk"  
use graphdijk  
  
create result = dijkstra(/* args */)   
say result  
  
create result = shortestWeighted(/* args */)   
say result  
  
create result = dijkstraPath(/* args */)   
say result  
  
create result = minEdgeWeight(/* args */)   
say result  
  
create result = maxEdgeWeight(/* args */)   
say result  
  
create result = avgEdgeWeight(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/c/graphdijk"` at the top of your file.  
? Run `afriLang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module graphdijk
```

```
function dijkstra(adj list number, n number, start number) returns list number
end

function shortestWeighted(adj list number, n number, start number, goal number) returns number
end

function dijkstraPath(adj list number, n number, start number, goal number) returns list number
end

function minEdgeWeight(adj list number, n number) returns number
end

function maxEdgeWeight(adj list number, n number) returns number
end

function avgEdgeWeight(adj list number, n number) returns number
end

function edgeCount(adj list number, n number) returns number
end
```