

AFRILANG Stdlib

std/c/nlpsentiment

Bibliothèque AFRILANG `std/c/nlpsentiment` (niveau complex, catégorie complex). Elle expose 7 fonction(s) :
sentLen, sen

```
`import "std/c/nlpsentiment" . `use nlpsentiment`
```

- `sentLen(s text) ? number`
- `sentUpper(s text) ? text`
- `sentLower(s text) ? text`
- `sentTrim(s text) ? text`
- `sentSplit(s text, delim text) ? list text`
- `sentJoin(parts list text, delim text) ? text`
- `sentReplace(s text, from text, to text) ? text`

Category: complex | Tier: complex | Functions: 7

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/c/nlpsentiment` (niveau complex, catégorie complex). Elle expose 7 fonction(s) : sentLen, sen

```
`import "std/c/nlpsentiment"` . `use nlpsentiment`  
- `sentLen(s text) ? number`  
- `sentUpper(s text) ? text`  
- `sentLower(s text) ? text`  
- `sentTrim(s text) ? text`  
- `sentSplit(s text, delim text) ? list text`  
- `sentJoin(parts list text, delim text) ? text`  
- `sentReplace(s text, from text, to text) ? text`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/nlpsentiment"  
use nlpsentiment
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés ? graphes, NLP, réseaux complexes.

3. Référence API

```
? sentLen(s text) ? number  
? sentUpper(s text) ? text  
? sentLower(s text) ? text  
? sentTrim(s text) ? text  
? sentSplit(s text, delim text) ? list  
? sentJoin(parts list text, delim text) ? text  
? sentReplace(s text, from text, to text) ? text
```

4. Exemples d'utilisation

```
import "std/c/nlpsentiment"  
use nlpsentiment  
  
create result = sentLen(/* args */)   
say result  
  
create result = sentUpper(/* args */)   
say result  
  
create result = sentLower(/* args */)   
say result  
  
create result = sentTrim(/* args */)   
say result  
  
create result = sentSplit(/* args */)   
say result  
  
create result = sentJoin(/* args */)   
say result
```

5. Bonnes pratiques

- ? Préférez `import "std/c/nlpsentiment"` en tête de fichier.
- ? Lancez `afrilang check` avant de livrer.
- ? Combinez avec les modules stdlib de la même catégorie.
- ? Voir /stdlib/ pour le source live et les démos playground.
- ? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module nlpsentiment
```

```
function sentLen(s text) returns number
end

function sentUpper(s text) returns text
end

function sentLower(s text) returns text
end

function sentTrim(s text) returns text
end

function sentSplit(s text, delim text) returns list text
end

function sentJoin(parts list text, delim text) returns text
end

function sentReplace(s text, from text, to text) returns text
end
end
```

ENGLISH

1. Overview

AFRILANG library `std/c/nlpsentiment` (tier complex, category complex). Exports 7 function(s):
sentLen, sentUpper, sentL

```
`import "std/c/nlpsentiment"` . `use nlpsentiment`  
- `sentLen(s text) ? number`  
- `sentUpper(s text) ? text`  
- `sentLower(s text) ? text`  
- `sentTrim(s text) ? text`  
- `sentSplit(s text, delim text) ? list text`  
- `sentJoin(parts list text, delim text) ? text`  
- `sentReplace(s text, from text, to text) ? text`
```

2. Installation & import

Add the module to your program:

```
import "std/c/nlpsentiment"  
use nlpsentiment
```

Tier: complex · Category: Complex modules (c/)
Advanced domains ? graphs, NLP, complex networks.

3. API reference

```
? sentLen(s text) ? number  
? sentUpper(s text) ? text  
? sentLower(s text) ? text  
? sentTrim(s text) ? text  
? sentSplit(s text, delim text) ? list  
? sentJoin(parts list text, delim text) ? text  
? sentReplace(s text, from text, to text) ? text
```

4. Usage examples

```
import "std/c/nlpsentiment"  
use nlpsentiment  
  
create result = sentLen(/* args */)   
say result  
  
create result = sentUpper(/* args */)   
say result  
  
create result = sentLower(/* args */)   
say result  
  
create result = sentTrim(/* args */)   
say result  
  
create result = sentSplit(/* args */)   
say result  
  
create result = sentJoin(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/c/nlpsentiment"` at the top of your file.  
? Run `afriLang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module nlpsentiment
```

```
function sentLen(s text) returns number
end

function sentUpper(s text) returns text
end

function sentLower(s text) returns text
end

function sentTrim(s text) returns text
end

function sentSplit(s text, delim text) returns list text
end

function sentJoin(parts list text, delim text) returns text
end

function sentReplace(s text, from text, to text) returns text
end
end
```