

AFRILANG Stdlib

std/c/csvsort

Français. Bibliothèque AFRILANG 'std/c/csvsort' (niveau complex, catégorie complex). Elle expose 6 fonction(s) : sortAsc, sortDesc, argsort, rank, topK, bottomK.

'import "std/c/csvsort"' · 'use csvsort'

- 'sortAsc(col list number) → list number' - 'sortDesc(col list number) → list number' - 'argsort(col list number) → list number' - 'rank(col list number) → list number' - 'topK(col list number, k number) → list number' - 'bottomK(col list number, k number) → list number' **English.**

AFRILANG library 'std/c/csvsort' (tier complex, category complex). Exports 6 function(s): sortAsc, sortDesc, argsort, rank, topK, bottomK.

'import "std/c/csvsort"' · 'use csvsort'

- 'sortAsc(col list number) → list number' - 'sortDesc(col list number) → list number' - 'argsort(col list number) → list number' - 'rank(col list number) → list number' - 'topK(col list number, k number) → list number' - 'bottomK(col list number, k number) → list number'

Catégorie / Category	Modules complex (c/)	
Niveau / Tier	complex	June 16, 2026
Fonctions / Functions	6	

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/csvsort' (niveau complexe, catégorie complexe). Elle expose 6 fonction(s) : sortAsc, sortDesc, argsort, rank, topK, bottomK.

```
'import "std/c/csvsort"' · 'use csvsort'
```

```
- `sortAsc(col list number) → list number`
- `sortDesc(col list number) → list number`
- `argsort(col list number) → list number`
- `rank(col list number) → list number`
- `topK(col list number, k number) → list number`
- `bottomK(col list number, k number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/csvsort"
use csvsort
```

Niveau : complexe · Catégorie : Modules complexe (c/)
Domaines avancés – graphes, NLP, réseaux complexes.

3. Référence API

- sortAsc(col list number) → list•
sortDesc(col list number) → list•
argsort(col list number) → list•
rank(col list number) → list•
topK(col list number, k number) → list•
bottomK(col list number, k number) → list

4. Exemples d'utilisation

```
import "std/c/csvsort"
use csvsort
```

```
create result = sortAsc(/* args */)
say result
```

```
create result = sortDesc(/* args */)
say result
```

```
create result = argsort(/* args */)
say result
```

```
create result = rank(/* args */)
say result
```

```
create result = topK(/* args */)
say result
```

```
create result = bottomK(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/c/csvsort"`` en tête de fichier.
- Lancez ``afrilang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module csvsort

```
function sortAsc(col list number) returns list number  
end
```

```
function sortDesc(col list number) returns list number  
end
```

```
function argsort(col list number) returns list number  
end
```

```
function rank(col list number) returns list number  
end
```

```
function topK(col list number, k number) returns list number  
end
```

```
function bottomK(col list number, k number) returns list number  
end  
end
```

English

1. Overview

AFRILANG library 'std/c/csvsort' (tier complex, category complex). Exports 6 function(s): sortAsc, sortDesc, argsort, rank, topK, bottomK.

```
'import "std/c/csvsort"' · 'use csvsort'
```

```
- `sortAsc(col list number) → list number`  
- `sortDesc(col list number) → list number`  
- `argsort(col list number) → list number`  
- `rank(col list number) → list number`  
- `topK(col list number, k number) → list number`  
- `bottomK(col list number, k number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/csvsort"  
use csvsort
```

Tier: complex · Category: Complex modules (c/)
Advanced domains – graphs, NLP, complex networks.

3. API reference

- sortAsc(col list number) → list•
sortDesc(col list number) → list•
argsort(col list number) → list•
rank(col list number) → list•
topK(col list number, k number) → list•
bottomK(col list number, k number) → list

4. Usage examples

```
import "std/c/csvsort"  
use csvsort
```

```
create result = sortAsc(/* args */)   
say result
```

```
create result = sortDesc(/* args */)   
say result
```

```
create result = argsort(/* args */)   
say result
```

```
create result = rank(/* args */)   
say result
```

```
create result = topK(/* args */)   
say result
```

```
create result = bottomK(/* args */)   
say result
```

5. Best practices

- Prefer ``import "std/c/csvsort"`` at the top of your file.
- Run ``afrilang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module csvsort

```
function sortAsc(col list number) returns list number
end
```

```
function sortDesc(col list number) returns list number
end
```

```
function argsort(col list number) returns list number
end
```

```
function rank(col list number) returns list number
end
```

```
function topK(col list number, k number) returns list number
end
```

```
function bottomK(col list number, k number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/csvsort"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/c/csvsort/>

Source (extrait)

```
module csvsort

function sortAsc(col list number) returns list number
end

function sortDesc(col list number) returns list number
end

function argsort(col list number) returns list number
end

function rank(col list number) returns list number
end

function topK(col list number, k number) returns list number
```

```
end
```

```
function bottomK(col list number, k number) returns list number
```

```
end
```

```
end
```