

AFRILANG Stdlib

std/c/gamebehavior

Français. Bibliothèque AFRILANG 'std/c/gamebehavior' (niveau complexe, catégorie complexe). Elle expose 7 fonction(s) : evalSelector, evalSequence, evalParallel, blackboardGet, blackboardSet, cooldownReady, weightedPick.

```
'import "std/c/gamebehavior"' · 'use gamebehavior'
```

- 'evalSelector(scores list number) → number' - 'evalSequence(scores list number) → number' - 'evalParallel(scores list number) → number' - 'blackboardGet(keys list text, values list number, key text) → number' - 'blackboardSet(keys list text, values list number, key text, val number) → list number' - 'cooldownReady(last number, now num

English. AFRILANG library 'std/c/gamebehavior' (tier complex, category complex). Exports 7 function(s): evalSelector, evalSequence, evalParallel, blackboardGet, blackboardSet, cooldownReady, weightedPick.

```
'import "std/c/gamebehavior"' · 'use gamebehavior'
```

- 'evalSelector(scores list number) → number' - 'evalSequence(scores list number) → number' - 'evalParallel(scores list number) → number' - 'blackboardGet(keys list text, values list number, key text) → number' - 'blackboardSet(keys list text, values list number, key text, val number) → list number' - 'cooldownReady(last number, now number, cd numbe

Catégorie / Category	Modules complex (c/)	
Niveau / Tier	complex	June 16, 2026
Fonctions / Functions	7	

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/gamebehavior' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : evalSelector, evalSequence, evalParallel, blackboardGet, blackboardSet, cooldownReady, weightedPick.

'import "std/c/gamebehavior"' · 'use gamebehavior'

```
- `evalSelector(scores list number) → number`
- `evalSequence(scores list number) → number`
- `evalParallel(scores list number) → number`
- `blackboardGet(keys list text, values list number, key text) → number`
- `blackboardSet(keys list text, values list number, key text, val number) → list
  number`
- `cooldownReady(last number, now number, cd number) → bool`
- `weightedPick(weights list number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/gamebehavior"
use gamebehavior
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés – graphes, NLP, réseaux complexes.

3. Référence API

- evalSelector(scores list number) → number•
evalSequence(scores list number) → number•
evalParallel(scores list number) → number•
blackboardGet(keys list text, values list number, key text) → number•
blackboardSet(keys list text, values list number, key text, val number) → list•
cooldownReady(last number, now number, cd number) → bool•
weightedPick(weights list number) → number

4. Exemples d'utilisation

```
import "std/c/gamebehavior"
use gamebehavior
```

```
create result = evalSelector(/* args */)
say result
```

```
create result = evalSequence(/* args */)
say result
```

```
create result = evalParallel(/* args */)
say result
```

```
create result = blackboardGet(/* args */)
say result
```

```
create result = blackboardSet(/* args */)
say result
```

```
create result = cooldownReady(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/c/gamebehavior"`` en tête de fichier.
- Lancez ``afriLang check`` avant de livrer.
- Combinez avec les modules `stdlib` de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module gamebehavior

```
function evalSelector(scores list number) returns number
end
```

```
function evalSequence(scores list number) returns number
end
```

```
function evalParallel(scores list number) returns number
end
```

```
function blackboardGet(keys list text, values list number, key text) returns number
end
```

```
function blackboardSet(keys list text, values list number, key text, val number)
  returns list number
end
```

```
function cooldownReady(last number, now number, cd number) returns bool
end
```

```
function weightedPick(weights list number) returns number
end
end
```

English

1. Overview

AFRILANG library 'std/c/gamebehavior' (tier complex, category complex). Exports 7 function(s): evalSelector, evalSequence, evalParallel, blackboardGet, blackboardSet, cooldownReady, weightedPick.

'import "std/c/gamebehavior"' · 'use gamebehavior'

```
- `evalSelector(scores list number) → number`
- `evalSequence(scores list number) → number`
- `evalParallel(scores list number) → number`
- `blackboardGet(keys list text, values list number, key text) → number`
- `blackboardSet(keys list text, values list number, key text, val number) → list
  number`
- `cooldownReady(last number, now number, cd number) → bool`
- `weightedPick(weights list number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/gamebehavior"
use gamebehavior
```

Tier: complex · Category: Complex modules (c/)
Advanced domains – graphs, NLP, complex networks.

3. API reference

- evalSelector(scores list number) → number•
evalSequence(scores list number) → number•
evalParallel(scores list number) → number•
blackboardGet(keys list text, values list number, key text) → number•
blackboardSet(keys list text, values list number, key text, val number) → list•
cooldownReady(last number, now number, cd number) → bool•
weightedPick(weights list number) → number

4. Usage examples

```
import "std/c/gamebehavior"
use gamebehavior
```

```
create result = evalSelector(/* args */)
say result
```

```
create result = evalSequence(/* args */)
say result
```

```
create result = evalParallel(/* args */)
say result
```

```
create result = blackboardGet(/* args */)
say result
```

```
create result = blackboardSet(/* args */)
say result
```

```
create result = cooldownReady(/* args */)
say result
```

5. Best practices

- Prefer ``import "std/c/gamebehavior"`` at the top of your file.
- Run ``afri-lang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module gamebehavior

```
function evalSelector(scores list number) returns number
end
```

```
function evalSequence(scores list number) returns number
end
```

```
function evalParallel(scores list number) returns number
end
```

```
function blackboardGet(keys list text, values list number, key text) returns number
end
```

```
function blackboardSet(keys list text, values list number, key text, val number)
  returns list number
end
```

```
function cooldownReady(last number, now number, cd number) returns bool
end
```

```
function weightedPick(weights list number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/gamebehavior"`
- Vérification : `afri-lang check`
- Documentation : <https://afri-lang.dev/stdlib/std/c/gamebehavior/>

Source (excerpt)

```
module gamebehavior

function evalSelector(scores list number) returns number
end

function evalSequence(scores list number) returns number
end

function evalParallel(scores list number) returns number
end

function blackboardGet(keys list text, values list number, key text) returns number
end

function blackboardSet(keys list text, values list number, key text, val number)
  returns list number
end

function cooldownReady(last number, now number, cd number) returns bool
end

function weightedPick(weights list number) returns number
end
end
```