

AFRILANG Stdlib

std/c/geomclip

Français. Bibliothèque AFRILANG 'std/c/geomclip' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : clipSum, clipMean, clipMin, clipMax, clipVar, clipStd, clipNorm.

```
'import "std/c/geomclip"' · 'use geomclip'
```

```
- 'clipSum(v list number) → number' - 'clipMean(v list number) → number' - 'clipMin(v list number) → number' - 'clipMax(v list number) → number' - 'clipVar(v list number) → number' - 'clipStd(v list number) → number' - 'clipNorm(v list number) → list number'
```

English. AFRILANG library 'std/c/geomclip' (tier complex, category complex). Exports 7 function(s): clipSum, clipMean, clipMin, clipMax, clipVar, clipStd, clipNorm.

```
'import "std/c/geomclip"' · 'use geomclip'
```

```
- 'clipSum(v list number) → number' - 'clipMean(v list number) → number' - 'clipMin(v list number) → number' - 'clipMax(v list number) → number' - 'clipVar(v list number) → number' - 'clipStd(v list number) → number' - 'clipNorm(v list number) → list number'
```

Catégorie / Category	Modules complex (c/)	
Niveau / Tier	complex	June 16, 2026
Fonctions / Functions	7	

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/geomclip' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : clipSum, clipMean, clipMin, clipMax, clipVar, clipStd, clipNorm.

```
'import "std/c/geomclip"' · 'use geomclip'
```

```
- `clipSum(v list number) → number`
- `clipMean(v list number) → number`
- `clipMin(v list number) → number`
- `clipMax(v list number) → number`
- `clipVar(v list number) → number`
- `clipStd(v list number) → number`
- `clipNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/geomclip"
use geomclip
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés – graphes, NLP, réseaux complexes.

3. Référence API

- clipSum(v list number) → number•
clipMean(v list number) → number•
clipMin(v list number) → number•
clipMax(v list number) → number•
clipVar(v list number) → number•
clipStd(v list number) → number•
clipNorm(v list number) → list

4. Exemples d'utilisation

```
import "std/c/geomclip"
use geomclip
```

```
create result = clipSum(/* args */)
say result
```

```
create result = clipMean(/* args */)
say result
```

```
create result = clipMin(/* args */)
say result
```

```
create result = clipMax(/* args */)
say result
```

```
create result = clipVar(/* args */)
say result
```

```
create result = clipStd(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/c/geomclip"`` en tête de fichier.
- Lancez ``afriLang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module geomclip

```
function clipSum(v list number) returns number
end
```

```
function clipMean(v list number) returns number
end
```

```
function clipMin(v list number) returns number
end
```

```
function clipMax(v list number) returns number
end
```

```
function clipVar(v list number) returns number
end
```

```
function clipStd(v list number) returns number
end
```

```
function clipNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library 'std/c/geomclip' (tier complex, category complex). Exports 7 function(s): clipSum, clipMean, clipMin, clipMax, clipVar, clipStd, clipNorm.

'import "std/c/geomclip"' · 'use geomclip'

```
- `clipSum(v list number) → number`
- `clipMean(v list number) → number`
- `clipMin(v list number) → number`
- `clipMax(v list number) → number`
- `clipVar(v list number) → number`
- `clipStd(v list number) → number`
- `clipNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/geomclip"
use geomclip
```

Tier: complex · Category: Complex modules (c/)
Advanced domains – graphs, NLP, complex networks.

3. API reference

- clipSum(v list number) → number•
- clipMean(v list number) → number•
- clipMin(v list number) → number•
- clipMax(v list number) → number•
- clipVar(v list number) → number•
- clipStd(v list number) → number•
- clipNorm(v list number) → list

4. Usage examples

```
import "std/c/geomclip"
use geomclip
```

```
create result = clipSum(/* args */)
say result
```

```
create result = clipMean(/* args */)
say result
```

```
create result = clipMin(/* args */)
say result
```

```
create result = clipMax(/* args */)
say result
```

```
create result = clipVar(/* args */)
say result
```

```
create result = clipStd(/* args */)
say result
```

5. Best practices

- Prefer ``import "std/c/geomclip"`` at the top of your file.
- Run ``afriLang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module geomclip

```
function clipSum(v list number) returns number
end
```

```
function clipMean(v list number) returns number
end
```

```
function clipMin(v list number) returns number
end
```

```
function clipMax(v list number) returns number
end
```

```
function clipVar(v list number) returns number
end
```

```
function clipStd(v list number) returns number
end
```

```
function clipNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/geomclip"`
- Vérification : `afriLang check`
- Documentation : <https://afriLang.dev/stdlib/std/c/geomclip/>

Source (extrait)

```
module geomclip

function clipSum(v list number) returns number
end

function clipMean(v list number) returns number
```

```
end

function clipMin(v list number) returns number
end

function clipMax(v list number) returns number
end

function clipVar(v list number) returns number
end

function clipStd(v list number) returns number
end

function clipNorm(v list number) returns list number
end
end
```