

AFRILANG Stdlib

std/c/geomhull

Français. Bibliothèque AFRILANG 'std/c/geomhull' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : hullSum, hullMean, hullMin, hullMax, hullVar, hullStd, hullNorm.

```
'import "std/c/geomhull"' · 'use geomhull'
```

```
- 'hullSum(v list number) → number' - 'hullMean(v list number) → number' - 'hullMin(v list number) → number' - 'hullMax(v list number) → number' - 'hullVar(v list number) → number' - 'hullStd(v list number) → number' - 'hullNorm(v list number) → list number'
```

English. AFRILANG library 'std/c/geomhull' (tier complex, category complex). Exports 7 function(s): hullSum, hullMean, hullMin, hullMax, hullVar, hullStd, hullNorm.

```
'import "std/c/geomhull"' · 'use geomhull'
```

```
- 'hullSum(v list number) → number' - 'hullMean(v list number) → number' - 'hullMin(v list number) → number' - 'hullMax(v list number) → number' - 'hullVar(v list number) → number' - 'hullStd(v list number) → number' - 'hullNorm(v list number) → list number'
```

Catégorie / Category	Modules complex (c/)	
Niveau / Tier	complex	June 16, 2026
Fonctions / Functions	7	

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/geomhull' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : hullSum, hullMean, hullMin, hullMax, hullVar, hullStd, hullNorm.

```
'import "std/c/geomhull"' · 'use geomhull'
```

```
- `hullSum(v list number) → number`
- `hullMean(v list number) → number`
- `hullMin(v list number) → number`
- `hullMax(v list number) → number`
- `hullVar(v list number) → number`
- `hullStd(v list number) → number`
- `hullNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/geomhull"
use geomhull
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés – graphes, NLP, réseaux complexes.

3. Référence API

- hullSum(v list number) → number•
- hullMean(v list number) → number•
- hullMin(v list number) → number•
- hullMax(v list number) → number•
- hullVar(v list number) → number•
- hullStd(v list number) → number•
- hullNorm(v list number) → list

4. Exemples d'utilisation

```
import "std/c/geomhull"
use geomhull
```

```
create result = hullSum(/* args */)
say result
```

```
create result = hullMean(/* args */)
say result
```

```
create result = hullMin(/* args */)
say result
```

```
create result = hullMax(/* args */)
say result
```

```
create result = hullVar(/* args */)
say result
```

```
create result = hullStd(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/c/geomhull"`` en tête de fichier.
- Lancez ``afriLang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module geomhull

```
function hullSum(v list number) returns number
end
```

```
function hullMean(v list number) returns number
end
```

```
function hullMin(v list number) returns number
end
```

```
function hullMax(v list number) returns number
end
```

```
function hullVar(v list number) returns number
end
```

```
function hullStd(v list number) returns number
end
```

```
function hullNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library 'std/c/geomhull' (tier complex, category complex). Exports 7 function(s): hullSum, hullMean, hullMin, hullMax, hullVar, hullStd, hullNorm.

```
'import "std/c/geomhull"' · 'use geomhull'
```

```
- `hullSum(v list number) → number`  
- `hullMean(v list number) → number`  
- `hullMin(v list number) → number`  
- `hullMax(v list number) → number`  
- `hullVar(v list number) → number`  
- `hullStd(v list number) → number`  
- `hullNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/geomhull"  
use geomhull
```

Tier: complex · Category: Complex modules (c/)
Advanced domains – graphs, NLP, complex networks.

3. API reference

- hullSum(v list number) → number•
hullMean(v list number) → number•
hullMin(v list number) → number•
hullMax(v list number) → number•
hullVar(v list number) → number•
hullStd(v list number) → number•
hullNorm(v list number) → list

4. Usage examples

```
import "std/c/geomhull"  
use geomhull
```

```
create result = hullSum(/* args */)   
say result
```

```
create result = hullMean(/* args */)   
say result
```

```
create result = hullMin(/* args */)   
say result
```

```
create result = hullMax(/* args */)   
say result
```

```
create result = hullVar(/* args */)   
say result
```

```
create result = hullStd(/* args */)
say result
```

5. Best practices

- Prefer ``import "std/c/geomhull"`` at the top of your file.
- Run ``afriLang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module geomhull

```
function hullSum(v list number) returns number
end
```

```
function hullMean(v list number) returns number
end
```

```
function hullMin(v list number) returns number
end
```

```
function hullMax(v list number) returns number
end
```

```
function hullVar(v list number) returns number
end
```

```
function hullStd(v list number) returns number
end
```

```
function hullNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/geomhull"`
- Vérification : `afriLang check`
- Documentation : <https://afriLang.dev/stdlib/std/c/geomhull/>

Source (extrait)

```
module geomhull

function hullSum(v list number) returns number
end

function hullMean(v list number) returns number
```

```
end

function hullMin(v list number) returns number
end

function hullMax(v list number) returns number
end

function hullVar(v list number) returns number
end

function hullStd(v list number) returns number
end

function hullNorm(v list number) returns list number
end
end
```