

AFRILANG Stdlib

std/c/geomline

Français. Bibliothèque AFRILANG 'std/c/geomline' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : lineSum, lineMean, lineMin, lineMax, lineVar, lineStd, lineNorm.

```
'import "std/c/geomline"' · 'use geomline'
```

```
- 'lineSum(v list number) → number' - 'lineMean(v list number) → number' - 'lineMin(v list number) → number' - 'lineMax(v list number) → number' - 'lineVar(v list number) → number' - 'lineStd(v list number) → number' - 'lineNorm(v list number) → list number'
```

English. AFRILANG library 'std/c/geomline' (tier complex, category complex). Exports 7 function(s): lineSum, lineMean, lineMin, lineMax, lineVar, lineStd, lineNorm.

```
'import "std/c/geomline"' · 'use geomline'
```

```
- 'lineSum(v list number) → number' - 'lineMean(v list number) → number' - 'lineMin(v list number) → number' - 'lineMax(v list number) → number' - 'lineVar(v list number) → number' - 'lineStd(v list number) → number' - 'lineNorm(v list number) → list number'
```

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/geomline' (niveau complexe, catégorie complexe). Elle expose 7 fonction(s) : lineSum, lineMean, lineMin, lineMax, lineVar, lineStd, lineNorm.

'import "std/c/geomline"' · 'use geomline'

```
- `lineSum(v list number) → number`
- `lineMean(v list number) → number`
- `lineMin(v list number) → number`
- `lineMax(v list number) → number`
- `lineVar(v list number) → number`
- `lineStd(v list number) → number`
- `lineNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/geomline"
use geomline
```

Niveau : complexe · Catégorie : Modules complexe (c/)
Domaines avancés – graphes, NLP, réseaux complexes.

3. Référence API

- lineSum(v list number) → number•
lineMean(v list number) → number•
lineMin(v list number) → number•
lineMax(v list number) → number•
lineVar(v list number) → number•
lineStd(v list number) → number•
lineNorm(v list number) → list

4. Exemples d'utilisation

```
import "std/c/geomline"
use geomline
```

```
create result = lineSum(/* args */)
say result
```

```
create result = lineMean(/* args */)
say result
```

```
create result = lineMin(/* args */)
say result
```

```
create result = lineMax(/* args */)
say result
```

```
create result = lineVar(/* args */)
say result
```

```
create result = lineStd(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/c/geomline"`` en tête de fichier.
- Lancez ``afriLang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module geomline

```
function lineSum(v list number) returns number
end
```

```
function lineMean(v list number) returns number
end
```

```
function lineMin(v list number) returns number
end
```

```
function lineMax(v list number) returns number
end
```

```
function lineVar(v list number) returns number
end
```

```
function lineStd(v list number) returns number
end
```

```
function lineNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library 'std/c/geomline' (tier complex, category complex). Exports 7 function(s): lineSum, lineMean, lineMin, lineMax, lineVar, lineStd, lineNorm.

'import "std/c/geomline"' · 'use geomline'

```
- `lineSum(v list number) → number`
- `lineMean(v list number) → number`
- `lineMin(v list number) → number`
- `lineMax(v list number) → number`
- `lineVar(v list number) → number`
- `lineStd(v list number) → number`
- `lineNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/geomline"
use geomline
```

Tier: complex · Category: Complex modules (c/)
Advanced domains – graphs, NLP, complex networks.

3. API reference

- lineSum(v list number) → number•
lineMean(v list number) → number•
lineMin(v list number) → number•
lineMax(v list number) → number•
lineVar(v list number) → number•
lineStd(v list number) → number•
lineNorm(v list number) → list

4. Usage examples

```
import "std/c/geomline"
use geomline
```

```
create result = lineSum(/* args */)
say result
```

```
create result = lineMean(/* args */)
say result
```

```
create result = lineMin(/* args */)
say result
```

```
create result = lineMax(/* args */)
say result
```

```
create result = lineVar(/* args */)
say result
```

```
create result = lineStd(/* args */)
say result
```

5. Best practices

- Prefer ``import "std/c/geomline"`` at the top of your file.
- Run ``afriLang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module geomline

```
function lineSum(v list number) returns number
end
```

```
function lineMean(v list number) returns number
end
```

```
function lineMin(v list number) returns number
end
```

```
function lineMax(v list number) returns number
end
```

```
function lineVar(v list number) returns number
end
```

```
function lineStd(v list number) returns number
end
```

```
function lineNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/geomline"`
- Vérification : `afriLang check`
- Documentation : <https://afriLang.dev/stdlib/std/c/geomline/>

Source (extrait)

```
module geomline

function lineSum(v list number) returns number
end

function lineMean(v list number) returns number
```

```
end

function lineMin(v list number) returns number
end

function lineMax(v list number) returns number
end

function lineVar(v list number) returns number
end

function lineStd(v list number) returns number
end

function lineNorm(v list number) returns list number
end
end
```