

AFRILANG Stdlib

std/c/graphdijk

Français. Bibliothèque AFRILANG 'std/c/graphdijk' (niveau complexe, catégorie complexe). Elle expose 7 fonction(s) : dijkstra, shortestWeighted, dijkstraPath, minEdgeWeight, maxEdgeWeight, avgEdgeWeight, edgeCount.

```
'import "std/c/graphdijk"' · 'use graphdijk'
```

```
- 'dijkstra(adj list number, n number, start number) → list number' -  
'shortestWeighted(adj list number, n number, start number, goal number) → number' -  
'dijkstraPath(adj list number, n number, start number, goal number) → list number' -  
'minEdgeWeight(adj list number, n number) → number' -  
'maxEdgeWeight(adj list number, n number) → number' -  
'av
```

English. AFRILANG library 'std/c/graphdijk' (tier complex, category complex). Exports 7 function(s): dijkstra, shortestWeighted, dijkstraPath, minEdgeWeight, maxEdgeWeight, avgEdgeWeight, edgeCount.

```
'import "std/c/graphdijk"' · 'use graphdijk'
```

```
- 'dijkstra(adj list number, n number, start number) → list number' -  
'shortestWeighted(adj list number, n number, start number, goal number) → number' -  
'dijkstraPath(adj list number, n number, start number, goal number) → list number' -  
'minEdgeWeight(adj list number, n number) → number' -  
'maxEdgeWeight(adj list number, n number) → number' -  
'avgEdgeWeight(a
```

Catégorie / Category	Modules complexe (c/)	
Niveau / Tier	complexe	June 16, 2026
Fonctions / Functions	7	

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/graphdijk' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : dijkstra, shortestWeighted, dijkstraPath, minEdgeWeight, maxEdgeWeight, avgEdgeWeight, edgeCount.

'import "std/c/graphdijk"' · 'use graphdijk'

```
- `dijkstra(adj list number, n number, start number) → list number`
- `shortestWeighted(adj list number, n number, start number, goal number) → number`
- `dijkstraPath(adj list number, n number, start number, goal number) → list number`
- `minEdgeWeight(adj list number, n number) → number`
- `maxEdgeWeight(adj list number, n number) → number`
- `avgEdgeWeight(adj list number, n number) → number`
- `edgeCount(adj list number, n number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/graphdijk"
use graphdijk
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés – graphes, NLP, réseaux complexes.

3. Référence API

- dijkstra(adj list number, n number, start number) → list•
- shortestWeighted(adj list number, n number, start number, goal number) → number•
- dijkstraPath(adj list number, n number, start number, goal number) → list•
- minEdgeWeight(adj list number, n number) → number•
- maxEdgeWeight(adj list number, n number) → number•
- avgEdgeWeight(adj list number, n number) → number•
- edgeCount(adj list number, n number) → number

4. Exemples d'utilisation

```
import "std/c/graphdijk"
use graphdijk
```

```
create result = dijkstra(/* args */)
say result
```

```
create result = shortestWeighted(/* args */)
say result
```

```
create result = dijkstraPath(/* args */)
say result
```

```
create result = minEdgeWeight(/* args */)
say result
```

```
create result = maxEdgeWeight(/* args */)
say result
```

```
create result = avgEdgeWeight(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/c/graphdijk"`` en tête de fichier.
- Lancez ``afri-lang check`` avant de livrer.
- Combinez avec les modules `stdlib` de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module `graphdijk`

```
function dijkstra(adj list number, n number, start number) returns list number
end
```

```
function shortestWeighted(adj list number, n number, start number, goal number)
  returns number
end
```

```
function dijkstraPath(adj list number, n number, start number, goal number) returns
  list number
end
```

```
function minEdgeWeight(adj list number, n number) returns number
end
```

```
function maxEdgeWeight(adj list number, n number) returns number
end
```

```
function avgEdgeWeight(adj list number, n number) returns number
end
```

```
function edgeCount(adj list number, n number) returns number
end
end
```

English

1. Overview

AFRILANG library 'std/c/graphdijk' (tier complex, category complex). Exports 7 function(s): dijkstra, shortestWeighted, dijkstraPath, minEdgeWeight, maxEdgeWeight, avgEdgeWeight, edgeCount.

```
'import "std/c/graphdijk"' · 'use graphdijk'
```

```
- `dijkstra(adj list number, n number, start number) → list`
- `shortestWeighted(adj list number, n number, start number, goal number) → number`
- `dijkstraPath(adj list number, n number, start number, goal number) → list`
- `minEdgeWeight(adj list number, n number) → number`
- `maxEdgeWeight(adj list number, n number) → number`
- `avgEdgeWeight(adj list number, n number) → number`
- `edgeCount(adj list number, n number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/graphdijk"
use graphdijk
```

Tier: complex · Category: Complex modules (c/)
Advanced domains – graphs, NLP, complex networks.

3. API reference

- dijkstra(adj list number, n number, start number) → list
- shortestWeighted(adj list number, n number, start number, goal number) → number
- dijkstraPath(adj list number, n number, start number, goal number) → list
- minEdgeWeight(adj list number, n number) → number
- maxEdgeWeight(adj list number, n number) → number
- avgEdgeWeight(adj list number, n number) → number
- edgeCount(adj list number, n number) → number

4. Usage examples

```
import "std/c/graphdijk"
use graphdijk
```

```
create result = dijkstra(/* args */)
say result
```

```
create result = shortestWeighted(/* args */)
say result
```

```
create result = dijkstraPath(/* args */)
say result
```

```
create result = minEdgeWeight(/* args */)
say result
```

```
create result = maxEdgeWeight(/* args */)
say result
```

```
create result = avgEdgeWeight(/* args */)
say result
```

5. Best practices

- Prefer ``import "std/c/graphdijk"`` at the top of your file.
- Run ``afriLang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module graphdijk

```
function dijkstra(adj list number, n number, start number) returns list number
end
```

```
function shortestWeighted(adj list number, n number, start number, goal number)
  returns number
end
```

```
function dijkstraPath(adj list number, n number, start number, goal number) returns
  list number
end
```

```
function minEdgeWeight(adj list number, n number) returns number
end
```

```
function maxEdgeWeight(adj list number, n number) returns number
end
```

```
function avgEdgeWeight(adj list number, n number) returns number
end
```

```
function edgeCount(adj list number, n number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/graphdijk"`
- Vérification : `afriLang check`
- Documentation : <https://afriLang.dev/stdlib/std/c/graphdijk/>

Source (excerpt)

```
module graphdijk

function dijkstra(adj list number, n number, start number) returns list number
end

function shortestWeighted(adj list number, n number, start number, goal number)
  returns number
end

function dijkstraPath(adj list number, n number, start number, goal number) returns
  list number
end

function minEdgeWeight(adj list number, n number) returns number
end

function maxEdgeWeight(adj list number, n number) returns number
end

function avgEdgeWeight(adj list number, n number) returns number
end

function edgeCount(adj list number, n number) returns number
end
end
```