

AFRILANG Stdlib

std/c/graphprim

Français. Bibliothèque AFRILANG 'std/c/graphprim' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : primMst, primParents, primOrder, mstEdgeCount, lightestEdge, heaviestMstEdge, isPrimConnected.

```
'import "std/c/graphprim"' · 'use graphprim'  
- 'primMst(adj list number, n number) → number' - 'primParents(adj list  
number, n number) → list number' - 'primOrder(adj list number, n num-  
ber) → list number' - 'mstEdgeCount(adj list number, n number) → num-  
ber' - 'lightestEdge(adj list number, n number) → number' - 'heaviestM-  
stEdge(adj list number, n number) → number' - 'isPrimConnected(adj  
list num
```

English. AFRILANG library 'std/c/graphprim' (tier complex, category complex). Exports 7 function(s): primMst, primParents, primOrder, mstEdgeCount, lightestEdge, heaviestMstEdge, isPrimConnected.

```
'import "std/c/graphprim"' · 'use graphprim'  
- 'primMst(adj list number, n number) → number' - 'primParents(adj list  
number, n number) → list number' - 'primOrder(adj list number, n num-  
ber) → list number' - 'mstEdgeCount(adj list number, n number) → num-  
ber' - 'lightestEdge(adj list number, n number) → number' - 'heaviestM-  
stEdge(adj list number, n number) → number' - 'isPrimConnected(adj  
list number, n number
```

Catégorie / Category	Modules complex (c/)	
Niveau / Tier	complex	June 16, 2026
Fonctions / Functions	7	

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/graphprim' (niveau complexe, catégorie complexe). Elle expose 7 fonction(s) : primMst, primParents, primOrder, mstEdgeCount, lightestEdge, heaviestMstEdge, isPrimConnected.

'import "std/c/graphprim"' · 'use graphprim'

```
- `primMst(adj list number, n number) → number`
- `primParents(adj list number, n number) → list number`
- `primOrder(adj list number, n number) → list number`
- `mstEdgeCount(adj list number, n number) → number`
- `lightestEdge(adj list number, n number) → number`
- `heaviestMstEdge(adj list number, n number) → number`
- `isPrimConnected(adj list number, n number) → bool`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/graphprim"
use graphprim
```

Niveau : complexe · Catégorie : Modules complexe (c/)
Domaines avancés – graphes, NLP, réseaux complexes.

3. Référence API

- primMst(adj list number, n number) → number•
primParents(adj list number, n number) → list•
primOrder(adj list number, n number) → list•
mstEdgeCount(adj list number, n number) → number•
lightestEdge(adj list number, n number) → number•
heaviestMstEdge(adj list number, n number) → number•
isPrimConnected(adj list number, n number) → bool

4. Exemples d'utilisation

```
import "std/c/graphprim"
use graphprim
```

```
create result = primMst(/* args */)
say result
```

```
create result = primParents(/* args */)
say result
```

```
create result = primOrder(/* args */)
say result
```

```
create result = mstEdgeCount(/* args */)
say result
```

```
create result = lightestEdge(/* args */)
say result
```

```
create result = heaviestMstEdge(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/c/graphprim"`` en tête de fichier.
- Lancez ``afri-lang check`` avant de livrer.
- Combinez avec les modules `stdlib` de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module graphprim

```
function primMst(adj list number, n number) returns number
end
```

```
function primParents(adj list number, n number) returns list number
end
```

```
function primOrder(adj list number, n number) returns list number
end
```

```
function mstEdgeCount(adj list number, n number) returns number
end
```

```
function lightestEdge(adj list number, n number) returns number
end
```

```
function heaviestMstEdge(adj list number, n number) returns number
end
```

```
function isPrimConnected(adj list number, n number) returns bool
end
end
```

English

1. Overview

AFRILANG library 'std/c/graphprim' (tier complex, category complex). Exports 7 function(s): primMst, primParents, primOrder, mstEdgeCount, lightestEdge, heaviestMstEdge, isPrimConnected.

'import "std/c/graphprim"' · 'use graphprim'

```
- `primMst(adj list number, n number) → number`
- `primParents(adj list number, n number) → list number`
- `primOrder(adj list number, n number) → list number`
- `mstEdgeCount(adj list number, n number) → number`
- `lightestEdge(adj list number, n number) → number`
- `heaviestMstEdge(adj list number, n number) → number`
- `isPrimConnected(adj list number, n number) → bool`
```

2. Installation & import

Add the module to your program:

```
import "std/c/graphprim"
use graphprim
```

Tier: complex · Category: Complex modules (c/)
Advanced domains – graphs, NLP, complex networks.

3. API reference

- primMst(adj list number, n number) → number•
primParents(adj list number, n number) → list•
primOrder(adj list number, n number) → list•
mstEdgeCount(adj list number, n number) → number•
lightestEdge(adj list number, n number) → number•
heaviestMstEdge(adj list number, n number) → number•
isPrimConnected(adj list number, n number) → bool

4. Usage examples

```
import "std/c/graphprim"
use graphprim
```

```
create result = primMst(/* args */)
say result
```

```
create result = primParents(/* args */)
say result
```

```
create result = primOrder(/* args */)
say result
```

```
create result = mstEdgeCount(/* args */)
say result
```

```
create result = lightestEdge(/* args */)
say result
```

```
create result = heaviestMstEdge(/* args */)
say result
```

5. Best practices

- Prefer ``import "std/c/graphprim"`` at the top of your file.
- Run ``afrilang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module graphprim

```
function primMst(adj list number, n number) returns number
end
```

```
function primParents(adj list number, n number) returns list number
end
```

```
function primOrder(adj list number, n number) returns list number
end
```

```
function mstEdgeCount(adj list number, n number) returns number
end
```

```
function lightestEdge(adj list number, n number) returns number
end
```

```
function heaviestMstEdge(adj list number, n number) returns number
end
```

```
function isPrimConnected(adj list number, n number) returns bool
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/graphprim"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/c/graphprim/>

Source (excerpt)

```
module graphprim

function primMst(adj list number, n number) returns number
end

function primParents(adj list number, n number) returns list number
end

function primOrder(adj list number, n number) returns list number
end

function mstEdgeCount(adj list number, n number) returns number
end

function lightestEdge(adj list number, n number) returns number
end

function heaviestMstEdge(adj list number, n number) returns number
end

function isPrimConnected(adj list number, n number) returns bool
end
end
```