

AFRILANG Stdlib

std/c/graphshort

Français. Bibliothèque AFRILANG 'std/c/graphshort' (niveau complexe, catégorie complexe). Elle expose 6 fonction(s) : allPairsBfs, eccentricity, graphDiameter, graphRadius, centerNodes, peripheryNodes.

```
'import "std/c/graphshort"' · 'use graphshort'
```

```
- 'allPairsBfs(adj list number, n number) → list number' - 'eccentricity(adj list number, n number) → list number' - 'graphDiameter(adj list number, n number) → number' - 'graphRadius(adj list number, n number) → number' - 'centerNodes(adj list number, n number) → list number' - 'peripheryNodes(adj list number, n number) → list number'
```

English. AFRILANG library 'std/c/graphshort' (tier complex, category complex). Exports 6 function(s): allPairsBfs, eccentricity, graphDiameter, graphRadius, centerNodes, peripheryNodes.

```
'import "std/c/graphshort"' · 'use graphshort'
```

```
- 'allPairsBfs(adj list number, n number) → list number' - 'eccentricity(adj list number, n number) → list number' - 'graphDiameter(adj list number, n number) → number' - 'graphRadius(adj list number, n number) → number' - 'centerNodes(adj list number, n number) → list number' - 'peripheryNodes(adj list number, n number) → list number'
```

Catégorie / Category	Modules complexe (c/)	
Niveau / Tier	complexe	June 16, 2026
Fonctions / Functions	6	

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/graphshort' (niveau complexe, catégorie complexe). Elle expose 6 fonction(s) : allPairsBfs, eccentricity, graphDiameter, graphRadius, centerNodes, peripheryNodes.

```
'import "std/c/graphshort"' · 'use graphshort'
```

```
- `allPairsBfs(adj list number, n number) → list number`
- `eccentricity(adj list number, n number) → list number`
- `graphDiameter(adj list number, n number) → number`
- `graphRadius(adj list number, n number) → number`
- `centerNodes(adj list number, n number) → list number`
- `peripheryNodes(adj list number, n number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/graphshort"
use graphshort
```

Niveau : complexe · Catégorie : Modules complexe (c/)
Domaines avancés – graphes, NLP, réseaux complexes.

3. Référence API

- allPairsBfs(adj list number, n number) → list•
- eccentricity(adj list number, n number) → list•
- graphDiameter(adj list number, n number) → number•
- graphRadius(adj list number, n number) → number•
- centerNodes(adj list number, n number) → list•
- peripheryNodes(adj list number, n number) → list

4. Exemples d'utilisation

```
import "std/c/graphshort"
use graphshort
```

```
create result = allPairsBfs(/* args */)
say result
```

```
create result = eccentricity(/* args */)
say result
```

```
create result = graphDiameter(/* args */)
say result
```

```
create result = graphRadius(/* args */)
say result
```

```
create result = centerNodes(/* args */)
say result
```

```
create result = peripheryNodes(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/c/graphshort"`` en tête de fichier.
- Lancez ``afriLang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module graphshort

```
function allPairsBfs(adj list number, n number) returns list number  
end
```

```
function eccentricity(adj list number, n number) returns list number  
end
```

```
function graphDiameter(adj list number, n number) returns number  
end
```

```
function graphRadius(adj list number, n number) returns number  
end
```

```
function centerNodes(adj list number, n number) returns list number  
end
```

```
function peripheryNodes(adj list number, n number) returns list number  
end  
end
```

English

1. Overview

AFRILANG library 'std/c/graphshort' (tier complex, category complex). Exports 6 function(s): allPairsBfs, eccentricity, graphDiameter, graphRadius, centerNodes, peripheryNodes.

```
'import "std/c/graphshort"' · 'use graphshort'
```

```
- `allPairsBfs(adj list number, n number) → list number`
- `eccentricity(adj list number, n number) → list number`
- `graphDiameter(adj list number, n number) → number`
- `graphRadius(adj list number, n number) → number`
- `centerNodes(adj list number, n number) → list number`
- `peripheryNodes(adj list number, n number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/graphshort"
use graphshort
```

Tier: complex · Category: Complex modules (c/)
Advanced domains – graphs, NLP, complex networks.

3. API reference

- allPairsBfs(adj list number, n number) → list•
eccentricity(adj list number, n number) → list•
graphDiameter(adj list number, n number) → number•
graphRadius(adj list number, n number) → number•
centerNodes(adj list number, n number) → list•
peripheryNodes(adj list number, n number) → list

4. Usage examples

```
import "std/c/graphshort"
use graphshort
```

```
create result = allPairsBfs(/* args */)
say result
```

```
create result = eccentricity(/* args */)
say result
```

```
create result = graphDiameter(/* args */)
say result
```

```
create result = graphRadius(/* args */)
say result
```

```
create result = centerNodes(/* args */)
say result
```

```
create result = peripheryNodes(/* args */)
say result
```

5. Best practices

- Prefer ``import "std/c/graphshort"`` at the top of your file.
- Run ``afriLang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module graphshort

```
function allPairsBfs(adj list number, n number) returns list number
end
```

```
function eccentricity(adj list number, n number) returns list number
end
```

```
function graphDiameter(adj list number, n number) returns number
end
```

```
function graphRadius(adj list number, n number) returns number
end
```

```
function centerNodes(adj list number, n number) returns list number
end
```

```
function peripheryNodes(adj list number, n number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/graphshort"`
- Vérification : `afriLang check`
- Documentation : <https://afriLang.dev/stdlib/std/c/graphshort/>

Source (extrait)

```
module graphshort

function allPairsBfs(adj list number, n number) returns list number
end

function eccentricity(adj list number, n number) returns list number
end

function graphDiameter(adj list number, n number) returns number
end

function graphRadius(adj list number, n number) returns number
end

function centerNodes(adj list number, n number) returns list number
```

```
end
```

```
function peripheryNodes(adj list number, n number) returns list number
```

```
end
```

```
end
```