

AFRILANG Stdlib

std/c/mldistance

Français. Bibliothèque AFRILANG 'std/c/mldistance' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : distSum, distMean, distMin, distMax, distVar, distStd, distNorm.

```
'import "std/c/mldistance"' · 'use mldistance'
```

```
- 'distSum(v list number) → number' - 'distMean(v list number) → number' - 'distMin(v list number) → number' - 'distMax(v list number) → number' - 'distVar(v list number) → number' - 'distStd(v list number) → number' - 'distNorm(v list number) → list number'
```

English. AFRILANG library 'std/c/mldistance' (tier complex, category complex). Exports 7 function(s): distSum, distMean, distMin, distMax, distVar, distStd, distNorm.

```
'import "std/c/mldistance"' · 'use mldistance'
```

```
- 'distSum(v list number) → number' - 'distMean(v list number) → number' - 'distMin(v list number) → number' - 'distMax(v list number) → number' - 'distVar(v list number) → number' - 'distStd(v list number) → number' - 'distNorm(v list number) → list number'
```

Catégorie / Category	Modules complex (c/)	
Niveau / Tier	complex	June 16, 2026
Fonctions / Functions	7	

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/mldistance' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : distSum, distMean, distMin, distMax, distVar, distStd, distNorm.

'import "std/c/mldistance"' · 'use mldistance'

```
- `distSum(v list number) → number`
- `distMean(v list number) → number`
- `distMin(v list number) → number`
- `distMax(v list number) → number`
- `distVar(v list number) → number`
- `distStd(v list number) → number`
- `distNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/mldistance"
use mldistance
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés – graphes, NLP, réseaux complexes.

3. Référence API

- distSum(v list number) → number•
distMean(v list number) → number•
distMin(v list number) → number•
distMax(v list number) → number•
distVar(v list number) → number•
distStd(v list number) → number•
distNorm(v list number) → list

4. Exemples d'utilisation

```
import "std/c/mldistance"
use mldistance
```

```
create result = distSum(/* args */)
say result
```

```
create result = distMean(/* args */)
say result
```

```
create result = distMin(/* args */)
say result
```

```
create result = distMax(/* args */)
say result
```

```
create result = distVar(/* args */)
say result
```

```
create result = distStd(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/c/mldistance"`` en tête de fichier.
- Lancez ``afri-lang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module mldistance

```
function distSum(v list number) returns number
end
```

```
function distMean(v list number) returns number
end
```

```
function distMin(v list number) returns number
end
```

```
function distMax(v list number) returns number
end
```

```
function distVar(v list number) returns number
end
```

```
function distStd(v list number) returns number
end
```

```
function distNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library 'std/c/mldistance' (tier complex, category complex). Exports 7 function(s): distSum, distMean, distMin, distMax, distVar, distStd, distNorm.

'import "std/c/mldistance"' · 'use mldistance'

```
- `distSum(v list number) → number`
- `distMean(v list number) → number`
- `distMin(v list number) → number`
- `distMax(v list number) → number`
- `distVar(v list number) → number`
- `distStd(v list number) → number`
- `distNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/mldistance"
use mldistance
```

Tier: complex · Category: Complex modules (c/)
Advanced domains – graphs, NLP, complex networks.

3. API reference

- distSum(v list number) → number•
distMean(v list number) → number•
distMin(v list number) → number•
distMax(v list number) → number•
distVar(v list number) → number•
distStd(v list number) → number•
distNorm(v list number) → list

4. Usage examples

```
import "std/c/mldistance"
use mldistance
```

```
create result = distSum(/* args */)
say result
```

```
create result = distMean(/* args */)
say result
```

```
create result = distMin(/* args */)
say result
```

```
create result = distMax(/* args */)
say result
```

```
create result = distVar(/* args */)
say result
```

```
create result = distStd(/* args */)
say result
```

5. Best practices

- Prefer ``import "std/c/mldistance"`` at the top of your file.
- Run ``afrilang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module mldistance

```
function distSum(v list number) returns number
end
```

```
function distMean(v list number) returns number
end
```

```
function distMin(v list number) returns number
end
```

```
function distMax(v list number) returns number
end
```

```
function distVar(v list number) returns number
end
```

```
function distStd(v list number) returns number
end
```

```
function distNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/mldistance"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/c/mldistance/>

Source (extrait)

```
module mldistance

function distSum(v list number) returns number
end

function distMean(v list number) returns number
```

```
end

function distMin(v list number) returns number
end

function distMax(v list number) returns number
end

function distVar(v list number) returns number
end

function distStd(v list number) returns number
end

function distNorm(v list number) returns list number
end
end
```