

AFRILANG Stdlib

std/c/netdns

Français. Bibliothèque AFRILANG 'std/c/netdns' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : dnsLen, dnsUpper, dnsLower, dnsTrim, dnsSplit, dnsJoin, dnsReplace.

```
'import "std/c/netdns"' · 'use netdns'
```

```
- 'dnsLen(s text) → number' - 'dnsUpper(s text) → text' - 'dnsLower(s text) → text' - 'dnsTrim(s text) → text' - 'dnsSplit(s text, delim text) → list text' - 'dnsJoin(parts list text, delim text) → text' - 'dnsReplace(s text, from text, to text) → text'
```

English. AFRILANG library 'std/c/netdns' (tier complex, category complex). Exports 7 function(s): dnsLen, dnsUpper, dnsLower, dnsTrim, dnsSplit, dnsJoin, dnsReplace.

```
'import "std/c/netdns"' · 'use netdns'
```

```
- 'dnsLen(s text) → number' - 'dnsUpper(s text) → text' - 'dnsLower(s text) → text' - 'dnsTrim(s text) → text' - 'dnsSplit(s text, delim text) → list text' - 'dnsJoin(parts list text, delim text) → text' - 'dnsReplace(s text, from text, to text) → text'
```

Catégorie / Category Modules complex (c/)

Niveau / Tier complex

Fonctions / Functions 7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/netdns' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : dnsLen, dnsUpper, dnsLower, dnsTrim, dnsSplit, dnsJoin, dnsReplace.

```
'import "std/c/netdns"' · 'use netdns'
```

```
- `dnsLen(s text) → number`
- `dnsUpper(s text) → text`
- `dnsLower(s text) → text`
- `dnsTrim(s text) → text`
- `dnsSplit(s text, delim text) → list text`
- `dnsJoin(parts list text, delim text) → text`
- `dnsReplace(s text, from text, to text) → text`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/netdns"
use netdns
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés – graphes, NLP, réseaux complexes.

3. Référence API

- dnsLen(s text) → number•
dnsUpper(s text) → text•
dnsLower(s text) → text•
dnsTrim(s text) → text•
dnsSplit(s text, delim text) → list•
dnsJoin(parts list text, delim text) → text•
dnsReplace(s text, from text, to text) → text

4. Exemples d'utilisation

```
import "std/c/netdns"
use netdns
```

```
create result = dnsLen(/* args */)
say result
```

```
create result = dnsUpper(/* args */)
say result
```

```
create result = dnsLower(/* args */)
say result
```

```
create result = dnsTrim(/* args */)
say result
```

```
create result = dnsSplit(/* args */)
say result
```

```
create result = dnsJoin(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/c/netdns"`` en tête de fichier.
- Lancez ``afrilang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module netdns

```
function dnsLen(s text) returns number
end
```

```
function dnsUpper(s text) returns text
end
```

```
function dnsLower(s text) returns text
end
```

```
function dnsTrim(s text) returns text
end
```

```
function dnsSplit(s text, delim text) returns list text
end
```

```
function dnsJoin(parts list text, delim text) returns text
end
```

```
function dnsReplace(s text, from text, to text) returns text
end
end
```

English

1. Overview

AFRILANG library 'std/c/netdns' (tier complex, category complex). Exports 7 function(s): dnsLen, dnsUpper, dnsLower, dnsTrim, dnsSplit, dnsJoin, dnsReplace.

```
'import "std/c/netdns"' · 'use netdns'
```

```
- `dnsLen(s text) → number`  
- `dnsUpper(s text) → text`  
- `dnsLower(s text) → text`  
- `dnsTrim(s text) → text`  
- `dnsSplit(s text, delim text) → list text`  
- `dnsJoin(parts list text, delim text) → text`  
- `dnsReplace(s text, from text, to text) → text`
```

2. Installation & import

Add the module to your program:

```
import "std/c/netdns"  
use netdns
```

Tier: complex · Category: Complex modules (c/)
Advanced domains – graphs, NLP, complex networks.

3. API reference

- dnsLen(s text) → number•
dnsUpper(s text) → text•
dnsLower(s text) → text•
dnsTrim(s text) → text•
dnsSplit(s text, delim text) → list•
dnsJoin(parts list text, delim text) → text•
dnsReplace(s text, from text, to text) → text

4. Usage examples

```
import "std/c/netdns"  
use netdns
```

```
create result = dnsLen(/* args */)   
say result
```

```
create result = dnsUpper(/* args */)   
say result
```

```
create result = dnsLower(/* args */)   
say result
```

```
create result = dnsTrim(/* args */)   
say result
```

```
create result = dnsSplit(/* args */)   
say result
```

```
create result = dnsJoin(/* args */)
say result
```

5. Best practices

- Prefer ``import "std/c/netdns"`` at the top of your file.
- Run ``afrilang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module netdns

```
function dnsLen(s text) returns number
end
```

```
function dnsUpper(s text) returns text
end
```

```
function dnsLower(s text) returns text
end
```

```
function dnsTrim(s text) returns text
end
```

```
function dnsSplit(s text, delim text) returns list text
end
```

```
function dnsJoin(parts list text, delim text) returns text
end
```

```
function dnsReplace(s text, from text, to text) returns text
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/netdns"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/c/netdns/>

Source (extrait)

```
module netdns

function dnsLen(s text) returns number
end

function dnsUpper(s text) returns text
```

```
end

function dnsLower(s text) returns text
end

function dnsTrim(s text) returns text
end

function dnsSplit(s text, delim text) returns list text
end

function dnsJoin(parts list text, delim text) returns text
end

function dnsReplace(s text, from text, to text) returns text
end
end
```