

# AFRILANG Stdlib

## std/c/nlpedit

**Français.** Bibliothèque AFRILANG 'std/c/nlpedit' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : editLen, editUpper, editLower, editTrim, editSplit, editJoin, editReplace.

'import "std/c/nlpedit"' · 'use nlpedit'

- 'editLen(s text) → number' - 'editUpper(s text) → text' - 'editLower(s text) → text' - 'editTrim(s text) → text' - 'editSplit(s text, delim text) → list text' - 'editJoin(parts list text, delim text) → text' - 'editReplace(s text, from text, to text) → text'

**English.** AFRILANG library 'std/c/nlpedit' (tier complex, category complex). Exports 7 function(s): editLen, editUpper, editLower, editTrim, editSplit, editJoin, editReplace.

'import "std/c/nlpedit"' · 'use nlpedit'

- 'editLen(s text) → number' - 'editUpper(s text) → text' - 'editLower(s text) → text' - 'editTrim(s text) → text' - 'editSplit(s text, delim text) → list text' - 'editJoin(parts list text, delim text) → text' - 'editReplace(s text, from text, to text) → text'

|                       |                      |
|-----------------------|----------------------|
| Catégorie / Category  | Modules complex (c/) |
| Niveau / Tier         | complex              |
| Fonctions / Functions | 7                    |

June 16, 2026

## Contents

## Français

### 1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/nlpedit' (niveau complexe, catégorie complexe). Elle expose 7 fonction(s) : editLen, editUpper, editLower, editTrim, editSplit, editJoin, editReplace.

```
'import "std/c/nlpedit"' · 'use nlpedit'
```

```
- `editLen(s text) → number`
- `editUpper(s text) → text`
- `editLower(s text) → text`
- `editTrim(s text) → text`
- `editSplit(s text, delim text) → list text`
- `editJoin(parts list text, delim text) → text`
- `editReplace(s text, from text, to text) → text`
```

### 2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/nlpedit"
use nlpedit
```

Niveau : complexe · Catégorie : Modules complex (c/)  
Domaines avancés – graphes, NLP, réseaux complexes.

### 3. Référence API

- editLen(s text) → number•  
editUpper(s text) → text•  
editLower(s text) → text•  
editTrim(s text) → text•  
editSplit(s text, delim text) → list•  
editJoin(parts list text, delim text) → text•  
editReplace(s text, from text, to text) → text

### 4. Exemples d'utilisation

```
import "std/c/nlpedit"
use nlpedit
```

```
create result = editLen(/* args */)
say result
```

```
create result = editUpper(/* args */)
say result
```

```
create result = editLower(/* args */)
say result
```

```
create result = editTrim(/* args */)
say result
```

```
create result = editSplit(/* args */)
say result
```

```
create result = editJoin(/* args */)
say result
```

## 5. Bonnes pratiques

- Préférez ``import "std/c/nlpedit"`` en tête de fichier.
- Lancez ``afri-lang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

## 6. Annexe — source

module nlpedit

```
function editLen(s text) returns number
end
```

```
function editUpper(s text) returns text
end
```

```
function editLower(s text) returns text
end
```

```
function editTrim(s text) returns text
end
```

```
function editSplit(s text, delim text) returns list text
end
```

```
function editJoin(parts list text, delim text) returns text
end
```

```
function editReplace(s text, from text, to text) returns text
end
end
```

## English

### 1. Overview

AFRILANG library 'std/c/nlpedit' (tier complex, category complex). Exports 7 function(s): editLen, editUpper, editLower, editTrim, editSplit, editJoin, editReplace.

'import "std/c/nlpedit"' · 'use nlpedit'

```
- `editLen(s text) → number`
- `editUpper(s text) → text`
- `editLower(s text) → text`
- `editTrim(s text) → text`
- `editSplit(s text, delim text) → list text`
- `editJoin(parts list text, delim text) → text`
- `editReplace(s text, from text, to text) → text`
```

### 2. Installation & import

Add the module to your program:

```
import "std/c/nlpedit"
use nlpedit
```

Tier: complex · Category: Complex modules (c/)  
Advanced domains – graphs, NLP, complex networks.

### 3. API reference

- editLen(s text) → number•  
editUpper(s text) → text•  
editLower(s text) → text•  
editTrim(s text) → text•  
editSplit(s text, delim text) → list•  
editJoin(parts list text, delim text) → text•  
editReplace(s text, from text, to text) → text

### 4. Usage examples

```
import "std/c/nlpedit"
use nlpedit
```

```
create result = editLen(/* args */)
say result
```

```
create result = editUpper(/* args */)
say result
```

```
create result = editLower(/* args */)
say result
```

```
create result = editTrim(/* args */)
say result
```

```
create result = editSplit(/* args */)
say result
```

```
create result = editJoin(/* args */)
say result
```

## 5. Best practices

- Prefer ``import "std/c/nlpedit"`` at the top of your file.
- Run ``afrilang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

## 6. Appendix — source

module nlpedit

```
function editLen(s text) returns number
end
```

```
function editUpper(s text) returns text
end
```

```
function editLower(s text) returns text
end
```

```
function editTrim(s text) returns text
end
```

```
function editSplit(s text, delim text) returns list text
end
```

```
function editJoin(parts list text, delim text) returns text
end
```

```
function editReplace(s text, from text, to text) returns text
end
end
```

## Référence rapide / Quick reference

- Import : `import "std/c/nlpedit"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/c/nlpedit/>

## Source (extrait)

```
module nlpedit

function editLen(s text) returns number
end

function editUpper(s text) returns text
```

```
end

function editLower(s text) returns text
end

function editTrim(s text) returns text
end

function editSplit(s text, delim text) returns list text
end

function editJoin(parts list text, delim text) returns text
end

function editReplace(s text, from text, to text) returns text
end
end
```