

AFRILANG Stdlib

std/c/sigderivative

Français. Bibliothèque AFRILANG 'std/c/sigderivative' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : deriSum, deriMean, deriMin, deriMax, deriVar, deriStd, deriNorm.

```
'import "std/c/sigderivative"' · 'use sigderivative'
```

```
- 'deriSum(v list number) → number' - 'deriMean(v list number) → number' - 'deriMin(v list number) → number' - 'deriMax(v list number) → number' - 'deriVar(v list number) → number' - 'deriStd(v list number) → number' - 'deriNorm(v list number) → list number'
```

English. AFRILANG library 'std/c/sigderivative' (tier complex, category complex). Exports 7 function(s): deriSum, deriMean, deriMin, deriMax, deriVar, deriStd, deriNorm.

```
'import "std/c/sigderivative"' · 'use sigderivative'
```

```
- 'deriSum(v list number) → number' - 'deriMean(v list number) → number' - 'deriMin(v list number) → number' - 'deriMax(v list number) → number' - 'deriVar(v list number) → number' - 'deriStd(v list number) → number' - 'deriNorm(v list number) → list number'
```

Catégorie / Category Modules complex (c/)

Niveau / Tier complex

Fonctions / Functions 7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/sigderivative' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : deriSum, deriMean, deriMin, deriMax, deriVar, deriStd, deriNorm.

```
'import "std/c/sigderivative"' · 'use sigderivative'
```

```
- `deriSum(v list number) → number`
- `deriMean(v list number) → number`
- `deriMin(v list number) → number`
- `deriMax(v list number) → number`
- `deriVar(v list number) → number`
- `deriStd(v list number) → number`
- `deriNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/sigderivative"
use sigderivative
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés – graphes, NLP, réseaux complexes.

3. Référence API

- deriSum(v list number) → number•
deriMean(v list number) → number•
deriMin(v list number) → number•
deriMax(v list number) → number•
deriVar(v list number) → number•
deriStd(v list number) → number•
deriNorm(v list number) → list

4. Exemples d'utilisation

```
import "std/c/sigderivative"
use sigderivative
```

```
create result = deriSum(/* args */)
say result
```

```
create result = deriMean(/* args */)
say result
```

```
create result = deriMin(/* args */)
say result
```

```
create result = deriMax(/* args */)
say result
```

```
create result = deriVar(/* args */)
say result
```

```
create result = deriStd(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/c/sigderivative"`` en tête de fichier.
- Lancez ``afriLang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module sigderivative

```
function deriSum(v list number) returns number
end
```

```
function deriMean(v list number) returns number
end
```

```
function deriMin(v list number) returns number
end
```

```
function deriMax(v list number) returns number
end
```

```
function deriVar(v list number) returns number
end
```

```
function deriStd(v list number) returns number
end
```

```
function deriNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library 'std/c/sigderivative' (tier complex, category complex). Exports 7 function(s): deriSum, deriMean, deriMin, deriMax, deriVar, deriStd, deriNorm.

'import "std/c/sigderivative"' · 'use sigderivative'

```
- `deriSum(v list number) → number`
- `deriMean(v list number) → number`
- `deriMin(v list number) → number`
- `deriMax(v list number) → number`
- `deriVar(v list number) → number`
- `deriStd(v list number) → number`
- `deriNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/sigderivative"
use sigderivative
```

Tier: complex · Category: Complex modules (c/)
Advanced domains – graphs, NLP, complex networks.

3. API reference

- deriSum(v list number) → number•
deriMean(v list number) → number•
deriMin(v list number) → number•
deriMax(v list number) → number•
deriVar(v list number) → number•
deriStd(v list number) → number•
deriNorm(v list number) → list

4. Usage examples

```
import "std/c/sigderivative"
use sigderivative
```

```
create result = deriSum(/* args */)
say result
```

```
create result = deriMean(/* args */)
say result
```

```
create result = deriMin(/* args */)
say result
```

```
create result = deriMax(/* args */)
say result
```

```
create result = deriVar(/* args */)
say result
```

```
create result = deriStd(/* args */)
say result
```

5. Best practices

- Prefer ``import "std/c/sigderivative"`` at the top of your file.
- Run ``afrilang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module sigderivative

```
function deriSum(v list number) returns number
end
```

```
function deriMean(v list number) returns number
end
```

```
function deriMin(v list number) returns number
end
```

```
function deriMax(v list number) returns number
end
```

```
function deriVar(v list number) returns number
end
```

```
function deriStd(v list number) returns number
end
```

```
function deriNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/sigderivative"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/c/sigderivative/>

Source (extrait)

```
module sigderivative

function deriSum(v list number) returns number
end

function deriMean(v list number) returns number
```

```
end

function deriMin(v list number) returns number
end

function deriMax(v list number) returns number
end

function deriVar(v list number) returns number
end

function deriStd(v list number) returns number
end

function deriNorm(v list number) returns list number
end
end
```