

AFRILANG Stdlib

std/c/statchi2

Français. Bibliothèque AFRILANG 'std/c/statchi2' (niveau complex, catégorie complex). Elle expose 6 fonction(s) : chi2Stat, cramersV, expectedUniform, goodnessOfFit, residuals, df.

```
'import "std/c/statchi2"' · 'use statchi2'
```

```
- 'chi2Stat(observed list number, expected list number) → number' -  
'cramersV(chi2 number, n number, k number) → number' - 'expecte-  
dUniform(total number, bins number) → list number' - 'goodnessOf-  
Fit(observed list number, expected list number) → number' - 'resid-  
uals(observed list number, expected list number) → list number' -  
'df(bins number) → number'
```

English. AFRILANG library 'std/c/statchi2' (tier complex, category complex). Exports 6 function(s): chi2Stat, cramersV, expectedUniform, goodnessOfFit, residuals, df.

```
'import "std/c/statchi2"' · 'use statchi2'
```

```
- 'chi2Stat(observed list number, expected list number) → number' -  
'cramersV(chi2 number, n number, k number) → number' - 'expecte-  
dUniform(total number, bins number) → list number' - 'goodnessOf-  
Fit(observed list number, expected list number) → number' - 'resid-  
uals(observed list number, expected list number) → list number' - 'df(bins  
number) → number'
```

Catégorie / Category	Modules complex (c/)	
Niveau / Tier	complex	June 16, 2026
Fonctions / Functions	6	

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/statchi2' (niveau complexe, catégorie complexe). Elle expose 6 fonction(s) : chi2Stat, cramersV, expectedUniform, goodnessOfFit, residuals, df.

```
'import "std/c/statchi2"' · 'use statchi2'
```

```
- `chi2Stat(observed list number, expected list number) → number`
- `cramersV(chi2 number, n number, k number) → number`
- `expectedUniform(total number, bins number) → list number`
- `goodnessOfFit(observed list number, expected list number) → number`
- `residuals(observed list number, expected list number) → list number`
- `df(bins number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/statchi2"
use statchi2
```

Niveau : complexe · Catégorie : Modules complexe (c/)
Domaines avancés – graphes, NLP, réseaux complexes.

3. Référence API

- chi2Stat(observed list number, expected list number) → number•
- cramersV(chi2 number, n number, k number) → number•
- expectedUniform(total number, bins number) → list•
- goodnessOfFit(observed list number, expected list number) → number•
- residuals(observed list number, expected list number) → list•
- df(bins number) → number

4. Exemples d'utilisation

```
import "std/c/statchi2"
use statchi2
```

```
create result = chi2Stat(/* args */)
say result
```

```
create result = cramersV(/* args */)
say result
```

```
create result = expectedUniform(/* args */)
say result
```

```
create result = goodnessOfFit(/* args */)
say result
```

```
create result = residuals(/* args */)
say result
```

```
create result = df(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/c/statchi2"`` en tête de fichier.
- Lancez ``afriLang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module statchi2

```
function chi2Stat(observed list number, expected list number) returns number  
end
```

```
function cramersV(chi2 number, n number, k number) returns number  
end
```

```
function expectedUniform(total number, bins number) returns list number  
end
```

```
function goodnessOfFit(observed list number, expected list number) returns number  
end
```

```
function residuals(observed list number, expected list number) returns list number  
end
```

```
function df(bins number) returns number  
end  
end
```

English

1. Overview

AFRILANG library 'std/c/statchi2' (tier complex, category complex). Exports 6 function(s): chi2Stat, cramersV, expectedUniform, goodnessOfFit, residuals, df.

```
'import "std/c/statchi2"' · 'use statchi2'
```

```
- `chi2Stat(observed list number, expected list number) → number`
- `cramersV(chi2 number, n number, k number) → number`
- `expectedUniform(total number, bins number) → list number`
- `goodnessOfFit(observed list number, expected list number) → number`
- `residuals(observed list number, expected list number) → list number`
- `df(bins number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/statchi2"
use statchi2
```

Tier: complex · Category: Complex modules (c/)
Advanced domains – graphs, NLP, complex networks.

3. API reference

- chi2Stat(observed list number, expected list number) → number•
cramersV(chi2 number, n number, k number) → number•
expectedUniform(total number, bins number) → list•
goodnessOfFit(observed list number, expected list number) → number•
residuals(observed list number, expected list number) → list•
df(bins number) → number

4. Usage examples

```
import "std/c/statchi2"
use statchi2
```

```
create result = chi2Stat(/* args */)
say result
```

```
create result = cramersV(/* args */)
say result
```

```
create result = expectedUniform(/* args */)
say result
```

```
create result = goodnessOfFit(/* args */)
say result
```

```
create result = residuals(/* args */)
say result
```

```
create result = df(/* args */)
say result
```

5. Best practices

- Prefer ``import "std/c/statchi2"`` at the top of your file.
- Run ``afrilang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module statchi2

```
function chi2Stat(observed list number, expected list number) returns number
end
```

```
function cramersV(chi2 number, n number, k number) returns number
end
```

```
function expectedUniform(total number, bins number) returns list number
end
```

```
function goodnessOfFit(observed list number, expected list number) returns number
end
```

```
function residuals(observed list number, expected list number) returns list number
end
```

```
function df(bins number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/statchi2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/c/statchi2/>

Source (extrait)

```
module statchi2

function chi2Stat(observed list number, expected list number) returns number
end

function cramersV(chi2 number, n number, k number) returns number
end

function expectedUniform(total number, bins number) returns list number
end

function goodnessOfFit(observed list number, expected list number) returns number
end

function residuals(observed list number, expected list number) returns list number
```

```
end  
function df(bins number) returns number  
end  
end
```