

AFRILANG Stdlib

std/c/tsautocorr

Français. Bibliothèque AFRILANG 'std/c/tsautocorr' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : autoSum, autoMean, autoMin, autoMax, autoVar, autoStd, autoNorm.

```
'import "std/c/tsautocorr"' · 'use tsautocorr'
```

```
- 'autoSum(v list number) → number' - 'autoMean(v list number) → number' - 'autoMin(v list number) → number' - 'autoMax(v list number) → number' - 'autoVar(v list number) → number' - 'autoStd(v list number) → number' - 'autoNorm(v list number) → list number'
```

English.

AFRILANG library 'std/c/tsautocorr' (tier complex, category complex). Exports 7 function(s): autoSum, autoMean, autoMin, autoMax, autoVar, autoStd, autoNorm.

```
'import "std/c/tsautocorr"' · 'use tsautocorr'
```

```
- 'autoSum(v list number) → number' - 'autoMean(v list number) → number' - 'autoMin(v list number) → number' - 'autoMax(v list number) → number' - 'autoVar(v list number) → number' - 'autoStd(v list number) → number' - 'autoNorm(v list number) → list number'
```

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/tsautocorr' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : autoSum, autoMean, autoMin, autoMax, autoVar, autoStd, autoNorm.

```
'import "std/c/tsautocorr"' · 'use tsautocorr'
```

```
- `autoSum(v list number) → number`
- `autoMean(v list number) → number`
- `autoMin(v list number) → number`
- `autoMax(v list number) → number`
- `autoVar(v list number) → number`
- `autoStd(v list number) → number`
- `autoNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/tsautocorr"
use tsautocorr
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés – graphes, NLP, réseaux complexes.

3. Référence API

- autoSum(v list number) → number•
autoMean(v list number) → number•
autoMin(v list number) → number•
autoMax(v list number) → number•
autoVar(v list number) → number•
autoStd(v list number) → number•
autoNorm(v list number) → list

4. Exemples d'utilisation

```
import "std/c/tsautocorr"
use tsautocorr
```

```
create result = autoSum(/* args */)
say result
```

```
create result = autoMean(/* args */)
say result
```

```
create result = autoMin(/* args */)
say result
```

```
create result = autoMax(/* args */)
say result
```

```
create result = autoVar(/* args */)
say result
```

```
create result = autoStd(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/c/tsautocorr"`` en tête de fichier.
- Lancez ``afriLang check`` avant de livrer.
- Combinez avec les modules `stdlib` de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module `tsautocorr`

```
function autoSum(v list number) returns number
end
```

```
function autoMean(v list number) returns number
end
```

```
function autoMin(v list number) returns number
end
```

```
function autoMax(v list number) returns number
end
```

```
function autoVar(v list number) returns number
end
```

```
function autoStd(v list number) returns number
end
```

```
function autoNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library 'std/c/tsautocorr' (tier complex, category complex). Exports 7 function(s): autoSum, autoMean, autoMin, autoMax, autoVar, autoStd, autoNorm.

'import "std/c/tsautocorr"' · 'use tsautocorr'

```
- `autoSum(v list number) → number`
- `autoMean(v list number) → number`
- `autoMin(v list number) → number`
- `autoMax(v list number) → number`
- `autoVar(v list number) → number`
- `autoStd(v list number) → number`
- `autoNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/tsautocorr"
use tsautocorr
```

Tier: complex · Category: Complex modules (c/)
Advanced domains – graphs, NLP, complex networks.

3. API reference

- autoSum(v list number) → number•
autoMean(v list number) → number•
autoMin(v list number) → number•
autoMax(v list number) → number•
autoVar(v list number) → number•
autoStd(v list number) → number•
autoNorm(v list number) → list

4. Usage examples

```
import "std/c/tsautocorr"
use tsautocorr
```

```
create result = autoSum(/* args */)
say result
```

```
create result = autoMean(/* args */)
say result
```

```
create result = autoMin(/* args */)
say result
```

```
create result = autoMax(/* args */)
say result
```

```
create result = autoVar(/* args */)
say result
```

```
create result = autoStd(/* args */)
say result
```

5. Best practices

- Prefer ``import "std/c/tsautocorr"`` at the top of your file.
- Run ``afrilang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module tsautocorr

```
function autoSum(v list number) returns number
end
```

```
function autoMean(v list number) returns number
end
```

```
function autoMin(v list number) returns number
end
```

```
function autoMax(v list number) returns number
end
```

```
function autoVar(v list number) returns number
end
```

```
function autoStd(v list number) returns number
end
```

```
function autoNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/tsautocorr"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/c/tsautocorr/>

Source (extrait)

```
module tsautocorr

function autoSum(v list number) returns number
end

function autoMean(v list number) returns number
```

```
end

function autoMin(v list number) returns number
end

function autoMax(v list number) returns number
end

function autoVar(v list number) returns number
end

function autoStd(v list number) returns number
end

function autoNorm(v list number) returns list number
end
end
```