

AFRILANG Stdlib

std/c/tsrolling

Français. Bibliothèque AFRILANG 'std/c/tsrolling' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : rollSum, rollMean, rollMin, rollMax, rollVar, rollStd, rollNorm.

```
'import "std/c/tsrolling"' · 'use tsrolling'
```

```
- 'rollSum(v list number) → number' - 'rollMean(v list number) → number' - 'rollMin(v list number) → number' - 'rollMax(v list number) → number' - 'rollVar(v list number) → number' - 'rollStd(v list number) → number' - 'rollNorm(v list number) → list number'
```

English. AFRILANG library 'std/c/tsrolling' (tier complex, category complex). Exports 7 function(s): rollSum, rollMean, rollMin, rollMax, rollVar, rollStd, rollNorm.

```
'import "std/c/tsrolling"' · 'use tsrolling'
```

```
- 'rollSum(v list number) → number' - 'rollMean(v list number) → number' - 'rollMin(v list number) → number' - 'rollMax(v list number) → number' - 'rollVar(v list number) → number' - 'rollStd(v list number) → number' - 'rollNorm(v list number) → list number'
```

Catégorie / Category	Modules complex (c/)	
Niveau / Tier	complex	June 16, 2026
Fonctions / Functions	7	

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/tsrolling' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : rollSum, rollMean, rollMin, rollMax, rollVar, rollStd, rollNorm.

```
'import "std/c/tsrolling"' · 'use tsrolling'
```

```
- `rollSum(v list number) → number`
- `rollMean(v list number) → number`
- `rollMin(v list number) → number`
- `rollMax(v list number) → number`
- `rollVar(v list number) → number`
- `rollStd(v list number) → number`
- `rollNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/tsrolling"
use tsrolling
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés – graphes, NLP, réseaux complexes.

3. Référence API

- - rollSum(v list number) → number•
 - rollMean(v list number) → number•
 - rollMin(v list number) → number•
 - rollMax(v list number) → number•
 - rollVar(v list number) → number•
 - rollStd(v list number) → number•
 - rollNorm(v list number) → list

4. Exemples d'utilisation

```
import "std/c/tsrolling"
use tsrolling
```

```
create result = rollSum(/* args */)
say result
```

```
create result = rollMean(/* args */)
say result
```

```
create result = rollMin(/* args */)
say result
```

```
create result = rollMax(/* args */)
say result
```

```
create result = rollVar(/* args */)
say result
```

```
create result = rollStd(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/c/tscrolling"`` en tête de fichier.
- Lancez ``afriLang check`` avant de livrer.
- Combinez avec les modules `stdlib` de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module tscrolling

```
function rollSum(v list number) returns number
end
```

```
function rollMean(v list number) returns number
end
```

```
function rollMin(v list number) returns number
end
```

```
function rollMax(v list number) returns number
end
```

```
function rollVar(v list number) returns number
end
```

```
function rollStd(v list number) returns number
end
```

```
function rollNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library 'std/c/tsrolling' (tier complex, category complex). Exports 7 function(s): rollSum, rollMean, rollMin, rollMax, rollVar, rollStd, rollNorm.

```
'import "std/c/tsrolling"' · 'use tsrolling'
```

```
- `rollSum(v list number) → number`
- `rollMean(v list number) → number`
- `rollMin(v list number) → number`
- `rollMax(v list number) → number`
- `rollVar(v list number) → number`
- `rollStd(v list number) → number`
- `rollNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/tsrolling"
use tsrolling
```

Tier: complex · Category: Complex modules (c/)
Advanced domains – graphs, NLP, complex networks.

3. API reference

- - rollSum(v list number) → number
 - rollMean(v list number) → number
 - rollMin(v list number) → number
 - rollMax(v list number) → number
 - rollVar(v list number) → number
 - rollStd(v list number) → number
 - rollNorm(v list number) → list

4. Usage examples

```
import "std/c/tsrolling"
use tsrolling
```

```
create result = rollSum(/* args */)
say result
```

```
create result = rollMean(/* args */)
say result
```

```
create result = rollMin(/* args */)
say result
```

```
create result = rollMax(/* args */)
say result
```

```
create result = rollVar(/* args */)
say result
```

```
create result = rollStd(/* args */)
say result
```

5. Best practices

- Prefer ``import "std/c/tsrolling"`` at the top of your file.
- Run ``afrilang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module tsrolling

```
function rollSum(v list number) returns number
end
```

```
function rollMean(v list number) returns number
end
```

```
function rollMin(v list number) returns number
end
```

```
function rollMax(v list number) returns number
end
```

```
function rollVar(v list number) returns number
end
```

```
function rollStd(v list number) returns number
end
```

```
function rollNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/tsrolling"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/c/tsrolling/>

Source (extrait)

```
module tsrolling

function rollSum(v list number) returns number
end

function rollMean(v list number) returns number
```

```
end

function rollMin(v list number) returns number
end

function rollMax(v list number) returns number
end

function rollVar(v list number) returns number
end

function rollStd(v list number) returns number
end

function rollNorm(v list number) returns list number
end
end
```